


10	9		8		7	6		5
PART NUMBER		CKTS	QUANTITY PER BAG	BAGS PER CARTON	PARTS PER CARTON (SPQ)	MOISTURIZATION METHOD 		PANEL LOCK
215922-0201		2	3000	4	12000			
215922-0401		4	2600	4	10400	NO MOISTURIZATION		WITHOUT
215922-0601		6	2000	4	8000			
215922-0801		8	1700	4	6800			
215922-1001		10	1400	4	5600			
215922-1201		12	1000	4	4000			
215922-1401		14	800	4	3200			
215922-1601		16	800	4	3200			
215922-1801		18	600	4	2400			
215922-2001		20	600	4	2400			
215922-2201		22	600	4	2400			
215922-2401		24	450	4	1800			
215922-0200		2	2000	4	8000			
215922-0400		4	1800	4	7200			
215922-0600		6	1600	4	6400			
215922-0800		8	1100	4	4400			
215922-1000		10	1000	4	4000			
215922-1200		12	900	4	3600			
215922-1400		14	800	4	3200			
215922-1600		16	700	4	2800			
215922-1800		18	600	4	2400			
215922-2000		20	600	4	2400			
215922-2200		22	400	4	1600			
215922-2400		24	350	4	1400			


TBD: NO PRODUCTION, TO BE ADDED AFTER BEING PRODUCED.

- NOTES:
- 

1. MOISTURIZATION METHOD DESCRIPTIONG REFER TO SHEET 2.
2. STANDARD PAKAGE QUANTITY(SPQ) SEE ABOVE CHART.
3. PACKAGE WAY FOLOW RIGHT ILLUSTRATION.
4. ALL PAKAGE MATERIAL AND PRODUCT COMPLIANT TO
RoHS DIRECTIVE 2011/65/EU AND ELV DIRECTIVE 2000/53/EV.



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
FUNCTIONAL SYMBOLS	DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex		
FA = 0	mm		1:1							
FE = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)				PACKING SPEC FOR MICRO-FIT PLUS WTW HSG					
FV = 0	ANGULAR TOL ± °									
DIVISIONAL SYMBOLS	4 PLACES ±		EC NO: 725570		2022/08/29					
	3 PLACES ± 0.1		DRWN: GLLI							
	2 PLACES ± 0.3		CHK'D: XQZHANG							
	1 PLACE ± 0.5		APPR: XQZHANG		2022/10/31					
	0 PLACES ±		INITIAL REVISION:							
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRWN: GLLI							2021/10/28
THIRD ANGLE PROJECTION		APPR: XQZHANG								
DRAWING		SERIES		2021/11/15						
A3-SIZE		215922								
DOCUMENT NUMBER		2159220000-PK							DOC TYPE	DOC PART
MATERIAL NUMBER		CUSTOMER			PSD	000	B			
SHEET NUMBER		1 OF 2								



FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
	DIMENSION UNITS	SCALE
	$\frac{F}{A} = 0$	mm1:1
	GENERAL TOLERANCES (UNLESS SPECIFIED)	
DIVISIONAL SYMBOLS	ANGULAR TOL	$\pm$ °
	4 PLACES	$\pm$
	3 PLACES	$\pm$ 0.1
	2 PLACES	$\pm$ 0.3
DIVISIONAL SYMBOLS	1 PLACE	$\pm$ 0.5
	0 PLACES	$\pm$
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	
	THIRD ANGLE PROJECTION	DRAWING
		A3-SIZE
	SERIES	215922
	MATERIAL NUMBER	
	CUSTOMER	
	SHEET NUMBER	
	2 OF 2	

EC NO: 725570
DRWN: GLLI
CHK'D: XQZHANG
APPR: XQZHANG

2022/08/29
2022/10/31
2022/10/31

INITIAL REVISION:
DRWN: GLLI
APPR: XQZHANG

2021/10/28
2021/11/15

DOCUMENT NUMBER

2159220000-PK

DOC TYPE

PSD

DOC PART

000

REVISION

B

PACKING SPEC FOR MICRO-FIT PLUS WTW HSG

PRODUCT CUSTOMER DRAWING

molex

10

9

8

7

6

5


4

3



2

1

FREE HANGING PLUG PARTS





MOLEX LOGO



MOLEX SERIES NUMBER

FIRST CIRCUIT INDICATOR



PART No	DIM'A'	DIM'B'	CKT SIZE
215922-0201	3.85	5.45	2
215922-0401	6.85	8.45	4
215922-0601	9.85	11.45	6
215922-0801	12.85	14.45	8
215922-1001	15.85	17.45	10
215922-1201	18.85	20.45	12
215922-1401	21.85	23.45	14
215922-1601	24.85	26.45	16
215922-1801	27.85	29.45	18
215922-2001	30.85	32.45	20
215922-2201	33.85	35.45	22
215922-2401	36.85	38.45	24

NOTES:

1. MATERIAL: PA66, 94V-0, BLACK.
2. PRODUCT SPECIFICATION: 2159530000-PS.
3. PACKAGE SPECIFICATION: 2159220000-PK.
4. TO USE WITH TERMINAL OF 2015953-****.
5. TO USE WITH TPA OF 206462-****.
6. TO MATE WITH RECEPTACLE OF 206461-****.
7. PARTS CONFORM TO CLASS 'B' REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
	DIMENSION UNITS		SCALE	CURRENT REV DESC:			molex PLUG HOUSING OF MICRO-FIT PLUS WTW DR POWER CONNECTOR				
= 0	mm		1:1								
= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)			EC NO: 712744 DRWN: GLLI 2022/07/01 CHK'D: XQZHANG 2022/07/05 APPR: XQZHANG 2022/07/05 INITIAL REVISION: DRWN: GLLI 2021/01/29 APPR: XQZHANG 2021/11/15							
= 0	ANGULAR TOL ± °										
DIVISIONAL SYMBOLS	4 PLACES ±										
	3 PLACES ±										
	2 PLACES ± 0.2										
	1 PLACE ± 0.3										
0 PLACES ±		PRODUCT CUSTOMER DRAWING			DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION		
					2159220000-SD		PSD	000	A1		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
					A3-SIZE	215922			GENERAL MARKET		1 OF 6

DOCUMENT STATUS	P1	RELEASE DATE	2022/07/05	13:33:12
-----------------	----	--------------	------------	----------

10

9

8

7

6

5



4

3

2

1


FREE HANGING PLUG PARTS




FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
FA FE FV = 0 = 0 = 0	DIMENSION UNITS		SCALE		CURRENT REV DESC:										
	mm		1:1												
	GENERAL TOLERANCES (UNLESS SPECIFIED)														
DIVISIONAL SYMBOLS	ANGULAR TOL				EC NO: 712744 DRWN: GLLI CHK'D: XQZHANG APPR: XQZHANG		2022/07/01 2022/07/05 2022/07/05								
	4 PLACES		±												
	3 PLACES		±												
	2 PLACES		± 0.2		INITIAL REVISION: DRWN: GLLI APPR: XQZHANG										
	1 PLACE		± 0.3												
	0 PLACES		±												
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		215922				GENERAL MARKET		2 OF 6	

molex				
PLUG HOUSING OF MICRO-FIT PLUS WTW DR POWER CONNECTOR				
PRODUCT CUSTOMER DRAWING				
DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
2159220000-SD		PSD	000	A1


FREE HANGING PLUG PARTS




2 CKT




4 CKT




6 CKT




8 CKT




10 CKT




12 CKT




14 CKT




16 CKT




18 CKT



20 CKT





22 CKT



24 CKT


FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
	DIMENSION UNITS	SCALE
= 0	mm	1:1
= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)	
= 0	ANGULAR TOL ± °	
DIVISIONAL SYMBOLS	4 PLACES	±
	3 PLACES	±
	2 PLACES	± 0.2
	1 PLACE	± 0.3
	0 PLACES	±
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	
	THIRD ANGLE PROJECTION	DRAWING
		A3-SIZE
	SERIES	215922
CURRENT REV DESC:		EC NO: 712744
		DRWN: GLLI 2022/07/01
		CHK'D: XQZHANG 2022/07/05
		APPR: XQZHANG 2022/07/05
INITIAL REVISION:		DRWN: GLLI 2021/01/29
		APPR: XQZHANG 2021/11/15
DOCUMENT NUMBER		2159220000-SD
DOC TYPE		PSD
DOC PART		000
REVISION		A1
MATERIAL NUMBER		GENERAL MARKET
CUSTOMER		3 OF 6
SHEET NUMBER		

PANEL MOUNT PLUG PARTS




FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
	DIMENSION UNITS	SCALE
 A = 0	mm	1:1
 E = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)	
 F = 0	ANGULAR TOL ± °	
DIVISIONAL SYMBOLS	4 PLACES	±
	3 PLACES	±
	2 PLACES	± 0.2
	1 PLACE	± 0.3
	0 PLACES	±
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	
CURRENT REV DESC:		
EC NO: 712744		
DRWN: GLLI		2022/07/01
CHK'D: XQZHANG		2022/07/05
APPR: XQZHANG		2022/07/05
INITIAL REVISION:		
DRWN: GLLI		2021/01/29
APPR: XQZHANG		2021/11/15
THIRD ANGLE PROJECTION		
DRAWING		A3-SIZE
SERIES		215922
DOCUMENT NUMBER		2159220000-SD
CUSTOMER		GENERAL MARKET
DOC TYPE		PSD
DOC PART		000
REVISION		A1
SHEET NUMBER		5 OF 6


PANEL MOUNT PLUG PARTS




2 CKT




4 CKT




6 CKT




8 CKT




10 CKT




12 CKT




14 CKT




16 CKT




18 CKT



20 CKT



22 CKT



24 CKT

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
FUNCTIONAL SYMBOLS	DIMENSION UNITS		SCALE	CURRENT REV DESC:			molex		
	mm	1:1							
GENERAL TOLERANCES (UNLESS SPECIFIED)	ANGULAR TOL ± °			PLUG HOUSING OF MICRO-FIT PLUS WTW DR POWER CONNECTOR					
	4 PLACES ±								
DIVISIONAL SYMBOLS	3 PLACES ±			EC NO: 712744 DRWN: GLLI					