1-206062-5 - ACTIVE

AMP | AMP CPC TE Internal #: 1-206062-5 Unscreened, Cable Clamp & Body, .329 in [8.36 mm] Cable Entry, Thermoplastic, Straight, Shell Size 11, AMP CPC View on TE.com >



Connectors > Connector Accessories > Connector Backshells



Connector Backshell Product Style: Unscreened

Connector Backshell Product Type: Cable Clamp & Body

Cable Entry Diameter: 8.36 mm [.329 in]

Primary Product Material: Thermoplastic

Body Orientation: Straight

Features

Product Type Features

Connector Backshell Product Style	Unscreened				
Connector Backshell Product Type	Cable Clamp & Body				
Body Features					
Primary Product Color	Black				
Primary Product Material	Thermoplastic				
Mechanical Attachment					
Thread Size	5/8-24 UNEF-2B				
Housing Features					
Body Orientation	Straight				
Compatible With Connector Shape	Circular				
Dimensions					
Cable Entry Diameter	8.36 mm[.329 in]				
Operation/Application					
Compatible With Connector Shell Size	11				

1-206062-5

Unscreened, Cable Clamp & Body, .329 in [8.36 mm] Cable Entry, Thermoplastic, Straight, Shell Size 11, AMP CPC



Industry Standards

UL Flammability Rating	UL 94V-0				
Packaging Features					
Packaging Quantity	800				
Packaging Method	Bulk				

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC	
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.	
Solder Process Capability	Not applicable for solder process capability	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

1-206062-5


Unscreened, Cable Clamp & Body, .329 in [8.36 mm] Cable Entry, Thermoplastic, Straight, Shell Size 11, AMP CPC





TE Part # 1-206062-6 CABLE CLAMP KIT #11

Also in the Series AMP CPC













Circular Power Connectors(459)	Connector Backshells(56)	Connector Seals & Cavity Plugs(36)	Connector Strain Relief(6)



Customers Also Bought



1-206062-5

Unscreened, Cable Clamp & Body, .329 in [8.36 mm] Cable Entry, Thermoplastic, Straight, Shell Size 11, AMP CPC





Documents

Product Drawings CABLE CLAMP KIT, BULK PKG

English

CAD Files

Customer View Model ENG_CVM_CVM_1-206062-5_W.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-206062-5_W.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-206062-5_W.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Environmental Compliance TE Material Declaration

English