

SmartMP3[®]

Board is ideal for creating mp3 players and adding audio and music features to your prototype devices, even with lower-performance microcontrollers.





TO OUR VALUED CUSTOMERS

I want to express my thanks to you for being interested in our products and for having confidence in MikroElektronika.

The primary aim of our company is to design and produce high quality electronic products and to constantly improve the performance thereof in order to better suit your needs.

Nebojsa Matic General Manager

The VS1053 IC and Windows® logos and product names are trademarks of VLSI Solution® and Microsoft® in the U.S.A. and other countries.


Table of Contents

Introduction	4
Jumpers	6
Connector Pinout	7
Dimensions	8
Disclaimer 1	1

Introduction

SmartMP3[™] is an additional board used to reproduce audio files in several formats. It contains VS1053 - Ogg Vorbis/MP3/AAC/ WMA/FLAC/WAV/MIDI stereo audio codec, two 3.5mm stereo audio connectors (MIC/LINE IN and Headphones), built-in speaker, microSD card slot as well as 2x5 male header for further connectivity with MikroElektronika Easy development boards. SmartMP3[™] communicates with the target board microcontroller via SPI interface. The connectivity can be established through the flat cable provided with the board. With regard to the fact that different development boards use different power supply voltages, it is necessary to adjust SmartMP3[™] voltage levels via appropriate jumper (**J1**).





Speaker/Headphones jumpers

- Audio amplifiers
- 12 VS1053

08

MIC/LINE IN connector


01

02

03

04

Voltage level jumper (**J1**)



SmartMP3TM also contains several jumpers which provide you with options below: This jumper is used to select whether 3.3V or 5V voltage level will be used (3.3V position by default). In case that Easy development board uses 5V power supply, it is necessary to place jumper **J1** in 5V position. Otherwise, jumper **J1** should be left in its default position (3.3V). These jumpers are used to select whether built-in **speaker** (ON) or **headphones** output (OFF) will be used (ON position by default). In case that you want to use 3.5mm stereo audio connector as headphones output, it is necessary to place jumpers in **OFF** position. Otherwise if you want to use built-in speaker, jumpers should be left in its default position (**ON**). **OB** These jumpers are used to select whether **microphone** or **LINE** input will be used (**MIC** position by default). In case that you want to use 3.5mm stereo audio connector as **LINE** input, it is necessary to place jumpers in **LINE** IN position. Otherwise if you want to use it as microphone input, jumpers should be left in its default position (**MIC**).

Connector Pinout

02 VCC - Power supply 03 DREQ - Data request

GND - Ground

 $\mathbf{0}$

- **BSYNC** Byte sync
- MOSI Master Out Slave In
- 06 MISO Master In Slave Out
- 07 SCK SPI Clock
- **MP3-RST** VS1053 reset
- **MP3-C3** VS1053 chip select
- **SD-CS** MicroSD chip select



Figure 1: SmartMP3TM connector pinout







Figure 2: Flat cable pinout











DISCLAIMER

All the products owned by MikroElektronika are protected by copyright law and international copyright treaty. Therefore, this manual is to be treated as any other copyright material. No part of this manual, including product and software described herein, may be reproduced, stored in a retrieval system, translated or transmitted in any form or by any means, without the prior written permission of MikroElektronika. The manual PDF edition can be printed for private or local use, but not for distribution. Any modification of this manual is prohibited.

MikroElektronika provides this manual 'as is' without warranty of any kind, either expressed or implied, including, but not limited to, the implied warranties or conditions of merchantability or fitness for a particular purpose.

MikroElektronika shall assume no responsibility or liability for any errors, omissions and inaccuracies that may appear in this manual. In no event shall MikroElektronika, its directors, officers, employees or distributors be liable for any indirect, specific, incidental or consequential damages (including damages for loss of business profits and business information, business interruption or any other pecuniary loss) arising out of the use of this manual or product, even if MikroElektronika has been advised of the possibility of such damages. MikroElektronika reserves the right to change information contained in this manual at any time without prior notice, if necessary.

HIGH RISK ACTIVITIES

The products of MikroElektronika are not fault - tolerant nor designed, manufactured or intended for use or resale as on - line control equipment in hazardous environments requiring fail - safe performance, such as in the operation of nuclear facilities, aircraft navigation or communication systems, air traffic control, direct life support machines or weapons systems in which the failure of Software could lead directly to death, personal injury or severe physical or environmental damage ('High Risk Activities'). MikroElektronika and its suppliers specifically disclaim any expressed or implied warranty of fitness for High Risk Activities.

TRADEMARKS

The MikroElektronika name and logo, the MikroElektronika logo, mikroCTM, mikroBasicTM, mikroPascalTM, mikroProgTM and SmartMP3TM are trademarks of MikroElektronika. All other trademarks mentioned herein are property of their respective companies.

All other product and corporate names appearing in this manual may or may not be registered trademarks or copyrights of their respective companies, and are only used for identification or explanation and to the owners' benefit, with no intent to infringe.

Copyright © MikroElektronika, 2013, All Rights Reserved.



If you want to learn more about our products, please visit our website at www.mikroe.com If you are experiencing some problems with any of our products or just need additional information, please place your ticket at www.mikroe.com/esupport If you have any questions, comments or business proposals, do not hesitate to contact us at office@mikroe.com

