Buchanan | Buchanan 6 Series

TE Internal #: 8-1437651-7 Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 6 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series View on TE.com >



Connectors > Terminal Blocks & Strips > Barrier Strips

Barrier Strip Style: Tri-Barrier Bottom Termination Type: Printed Circuit Pin Connector System: Wire-to-Board Number of Positions: 6 Centerline (Pitch): 9.53 mm [.375 in]

Features

Product Type Features

Block StyleFlat BottomConnector SystemWire-to-BoardConnector & Contact Terminates ToPrinted Circuit BoardConfiguration Features

Number of Levels

1

Number of Positions	6
Number of Rows	1
Electrical Characteristics	
Operating Voltage	300 V
Body Features	
Primary Product Color	Black
Product Orientation	Right Angle
Barrier Strip Style	Tri-Barrier
Contact Features	
PCB Contact Termination Area Plating Material	Tin
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	25 A
Termination Features	
Bottom Termination Type	Printed Circuit Pin
Mechanical Attachment	

C For support call+1 800 522 6752

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 6 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series



Screw Head Type	Combo Phil-Slot	
Screw Plating Material	Zinc Chromate	
Screw Material	Steel	
Top Termination Type	Wire Clamp Combo Head	
Mounting Options	None	
Thread Size	6-32	
Connector Mounting Type	Board Mount	
Housing Features		
Housing Material	Thermoplastic	
Centerline (Pitch)	9.53 mm[.375 in]	
Dimensions		
Product Length	58.7 mm[2.311 in]	
Wire Size	.3 – 3 mm²	
Usage Conditions		
Operating Temperature Range	0-105 °C[0-221 °F]	
Operation/Application		
Circuit Application	Power	

Industry Standards

UL Flammability Rating	UL 94V-0	
Packaging Features		
Packaging Quantity	115	
Packaging Method	Package	
Other		
Terminal Blocks & Strips Comment	Do not order screw and captive clamp in combination with other top hardware., Other options available upon request, consult our Product Information Center.	
Product Compliance For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	

C For support call+1 800 522 6752

08/13/2023 07:30PM | Page 2

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 6 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

TE Part # 5-1437418-6 J6340=JUMPER R T 3/8 40 CKTS

Also in the Series | Buchanan 6 Series

Barrier Strips(258)

Customers Also Bought

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 6 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series



TE Part #3-641216-2	TE Part #5499913-1	TE Part #52934	TE Part #3-641435-6
02P MTA100 HDR ASSY FL/RA LF	A/L UNIV HDR 10P RA SHT LAT	TERMINAL,PIDG SPR SPD 16-14 5	06P MTA156 CONN ASSY ORNG
TE Part #9-1437652-5 6PCV-06-006=6PCV ASSEMBLY	TE Part #5-1614352-1 RN 0603 2K0 0.1% 10PPM CUT LENGTH	TE Part #1-640383-2 12P MTA156 HDR ASSY STR SQ SN	TE Part #5-146276-8 08 MODII HDR SRST B/A .100CL

Documents

Product Drawings

6PCR-06-006=#6 TRIBARRIER

English

CAD Files **Customer View Model** ENG_CVM_CVM_8-1437651-7_N.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_8-1437651-7_N.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_8-1437651-7_N.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages 1-1773458-2_BARRIER_STRIPS_QUICK_REFERENCE_GUIDE

English

Product Environmental Compliance Product Compliance

English

Product Compliance

English

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 6 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series

