

TE Internal #: 5227222-1

BNC RF Interface, Jack, 50 Ω , Bayonet, 4 GHz Operating

Frequency, Cable-to-Board / Cable-to-Panel, 1 Position, Printed

Circuit Board, Panel Mount

View on TE.com >



Connectors > RF Connectors > Coax Connectors > BNC Vertical Jack RF Connector, 50 Ohm, Bayonet Coupling Mechanism

RF Interface: BNC

RF Connector Style: Jack

RF Connector Mated Outer Diameter (Approximate): 14.53 mm [.572 in]

Impedance: 50Ω

RF Connector Coupling Mechanism: Bayonet

All BNC Vertical Jack RF Connector, 50 Ohm, Bayonet Coupling Mechanism (32)

Features

Product Type Features

RF Interface	BNC
RF Connector Style	Jack
Connector System	Cable-to-Board, Cable-to-Panel
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

PCB Mount Orientation	Vertical
Number of Positions	1
Number of Coaxial Contacts	1

Electrical Characteristics

Impedance	50 Ω	

Body Features

Body Material	Polyester, PBT
Body Material Finish	Passivated
Body Plating Material	Nickel

Contact Features

RF Connector Center Contact Underplating Material	Nickel
	5080 μin



RF Connector Center Contact Plating Material	Tin
RF Connector Center Contact Material	Phosphor Bronze
Termination Features	
Termination Post & Tail Length	5.33 mm[.21 in]
Termination Method to Printed Circuit Board	Through Hole - Solder
Mechanical Attachment	
Panel Attachment Style	Rear Mount
PCB Mount Retention	With
RF Connector Coupling Mechanism	Bayonet
Connector Mounting Type	Panel Mount
RF Contact Captivation Method	Mechanical
Detent	With
Housing Features	
Housing Color	White
Dimensions	
Mounting Post Length	3.48 mm[.137 in]
Profile Height from PCB	34.93 mm[1.375 in]
RF Connector Mated Outer Diameter (Approximate)	14.53 mm[.572 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]
Operation/Application	
Operating Frequency	4 GHz
Packaging Features	
Packaging Method	Tube
Other	
RF Connector Comment	If an Insulating Bushing is required, see Part Number 330620., Lockwasher and Jam Nut must be ordered separately.
Grade	Commercial
Dielectric Material	Polymethylpentene



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (3.7% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

TE Part # CAT-076-BNCJKISG50
BNC RF Connector: Jack Assembly, Isolated Ground Protection, 50 Ohm

TE Part # CAT-076-BNCJKSH50
BNC RF Connector: jack assembly - short, 50 Ohm, 4Ghz

TE Part # 5227426-1
BNC BLKHD RECPT SEALED
JACK BLKHD,COML BNC,HEX CRIMP



TE Part # 1-5227079-6	TE Part # 5413779-3	TE Part # 1-329631-2	TE Part # 5227169-5
COMM BNC PLUG	COML BNC,50 OHM, HEX CRIMP	JAM NUT, PLATED	BNC - SOLDER RECEPT
TE Part # 5227169-7 BNC SOLDER JACK RECEPTACLE	TE Part # 5227169-8 BNC - SOLDER RECEPT	TE Part # 5228979-7 JACK,COML,SERIES BNC,GOLD PL	TE Part # 5228980-6 JACK,BHD,COML,SERIES BNC,GOLD
TE Part # 5227079-5 COMM BNC PLUG	TE Part # 5227079-6 COMM. BNC-PLUG	TE Part # 8-5227079-2 COMM BNC PLUG	TE Part # 1-5227079-1 COMM BNC PLUG
TE Part # 228979-7 JACK,COML,SERIES BNC,GOLD PL	TE Part # 413779-3 COML BNC,50 OHM, HEX CRIMP	TE Part # 5228980-7 JACK,BHD,COML,SERIES BNC,GOLD	TE Part # 5330876 BNC PLUG
Customers Also B	Bought		
TE Part #5227222-2 VERT JK W/MTG PINS, BNC PCB	TE Part #2-5331272-7 SOCKET,MIN-SPR SN-AU SER-2	TE Part #6609104-9 PE0S0SS30=C1134	TE Part #1473668-1 KIT D-5 (D-5 DYNA-CLAMP 3P)



TE Part #221551-1
FEEDTHRU JACK, BNC, REPKG

TE Part #66569-2
20DF SOCKET, PLATED

TE Part #1466287-1
031-0003-0001

TE Part #2176375-1
RO 0805 1K15 0.1% 10PPM 1K RL

TE Part #2176375-8
RQ 0805 1K37 0.1% 10PPM 1K RL

TE Part #6-1532028-4
033-0090-0001-ADAPTERBNCRCPT/

Documents

Product Drawings

VERT JK W/MTG PINS, BNC PCB

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5227222-1_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5227222-1_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5227222-1_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

BNC Connectors

English

Product Specifications

Product Specification

English

Product Specification

English

BNC RF Interface, Jack, 50 Ω , Bayonet, 4 GHz Operating Frequency, Cable-to-Board / Cable-to-Panel, 1 Position, Printed Circuit Board, Panel Mount



Product Environmental Compliance

TE Material Declaration

English

Instruction Sheets

Instruction Sheet (U.S.)

English