



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.




LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AF	50	G1	ECR-13-017177	05NOV13	PKSRRP



DETAIL D  
SCALE 20:1



1 CONTINUOUS STRIP ON REELS WITH TERMINALS LOCATED ON 9.14±0.08 [.360±.003] CENTERS.  
 2 FOR OPTIMUM RETENTION FORCE IN POKE-IN TYPE MAG-MATE TERMINALS, ONE OF THE SERRATIONS AS SHOWN MUST BE ENGAGED WITH THE EDGE OF THE LEAF.



0.3-0.8mm <sup>2</sup> [#22-18 AWG]	63364-1
WIRE RANGE	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	03AUG98	TE Connectivity	
DIMENSIONS: mm		CHK	14SEP98	TE Connectivity	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	14SEP98		
0 PLC ± -		NAME		TAB, POKE-IN, MAG-MATE™	
1 PLC ± -		PRODUCT SPEC	108-22045	-	
2 PLC ± 0.25 [.010]		APPLICATION SPEC	114-2050	-	
3 PLC ± -		SIZE	A2	CAGE CODE	00779
4 PLC ± -		WEIGHT	-	DRAWING NO	C=63364
ANGLES ± -		CUSTOMER DRAWING		RESTRICTED TO	-
FINISH		SCALE	10:1	SHEET	1 OF 1
BRASS		PRE-TIN PLATED		REV	G1