






REVISIONS					
P	LTR	DESCRIPTION	DATE	DMN	APPD
A		FIRST RELEASED	13JUL2021	J.J	N.S




THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN		17JUN2021	
DIMENSIONS:		CHK		17JUN2021	
mm		Niki S		17JUN2021	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPD		17JUN2021	
0 PLG ± -		Niki S		NAME	
1 PLG ± 0.3		PRODUCT SPEC		P.O.4 HO.8 BOARD TO BOARD	
2 PLG ± 0.2		APPLICATION SPEC		CONN. REC.	
3 PLG ± 0.15		WEIGHT		SIZE	
4 PLG ± -		CUSTOMER DRAWING		A2 00779	
ANGLES ± 3		SCALE		CAGE CODE	
FINISH		1:1		DRAWING NO	
-		SHEET		2396001	
		1 of 3		RESTRICTED TO	
		REV		-	
		A			

STE TE Connectivity Ltd.


3-2396001-4
PART NUMBER

2396001

REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN
-	-	SEE SHEET 1	-	-



RECOMMENDED P.C. BOARD PATTERN DIMENSION (WITH HOLD DOWN)








- NOTES:
- 1.MATERIAL:
 1.1 HOUSING: LCP, UL 94 V-0, COLOR: BLACK.
 1.2 CONTACT: COPPER ALLOY.
 1.3 HOLD DOWN: COPPER ALLOY.
2. FINISH:
 2.1 CONTACT:
 GOLD FLASH ON CONTACT AND SOLDERING AREA.
 NICKEL UNDER PLATING OVERALL.
 2.2 HOLD DOWN:
 MATTE TIN PLATING OVER NICKELUNDER PLATING.
- 3.REFLOW SOLDER CAPABLE TO 260 °C.
- 4.MATING PLUG PART NUMBER: 3-2396002-4.

THIS DRAWING IS A CONTROLLED DOCUMENT.				
DWN		17JUN2021		
CHK	Jone J	17JUN2021		
APVD	Niki S	17JUN2021		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		
mm	0-PLC	± 0.3		
	1-PLC	± 0.2		
	2-PLC	± 0.2		
	3-PLC	± 0.15		
	4-PLC	± 0.3		
MATERIAL		FINISH		
-		-		
APPLICATION SPEC		-		
WEIGHT		0		
CUSTOMER DRAWING		-		
NAME		P.O.4 HO.8 BOARD TO BOARD CONN. REC.		
SIZE	A2	CAGE CODE	DRAWING NO	RESTRICTED TO
	00779	2396001		-
SCALE	1:1	SHEET	2 of 3	REV
				A

STE TE Connectivity Ltd.

REVISIONS				
P	LTR	DESCRIPTION	DATE	DMN
-	-	SEE SHEET 1	-	-



NOTES :
PACKAGING MATERIAL IN PLASTIC, RUBBER, INK, PIGMENT AND PAINT
MUST MEET CONTROLLED SUBSTANCES SPEC PER 230-702.

* CADMIUM AND CADMIUM COMPOUNDS NOT TO EXCEED:

5 PPM.

* LEAD, CADMIUM, CHROM VI AND MERCURY NOT TO EXCEED:

100 PPM (COMBINED).

* CARRIER TAPES, COVER TAPES, REELS AND TAPED COMPONENTS

MUST MEET THE REQUIREMENTS DEFINED PER EIA-481-C.

1. MATERIAL :

COVER TAPE : PET, COLOR: TRANSPARENT.

CARRIER TAPE : POLYSTYRENES,BLACK COLOR.

REEL :POLYSTYRENES,BLUE COLOR.

SHIPPING BOX: CORRUGATED FIBER

2. DIMENSION :

REEL : SEE DRAWING

SHIPPING BOX : SEE DRAWING


3. QUANTITY : SEE TABLE

4. WEIGHT : SEE TABLE

5. PEELING RESISTANCE : 10gf~130gf

6. PEELING SPEED : 300mm/MINUTES

GROSS WEIGHT	NET WEIGHT	PCS/ REEL	REEL/ BOX	PCS/ BOX	PART NUMBER
5.742KG	0.66KG	5000	6	30000	3-2396001-4



OUT BOX PACKAGE DIAGRAM DRAWING

2396001

THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN	17JUN2021	 TE Connectivity Ltd.	
DIMENSIONS:		CHK	Jone J	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	Niki S	P0.4 H0.8 BOARD TO BOARD	
mm		PRODUCT SPEC	Niki S	CONN. REC.	
0. PLG ± 0.3 1. PLG ± 0.2 2. PLG ± 0.15 3. PLG ± 0.15 4. PLG ± 0.15 ANGLES ± 0.5		APPLICATION SPEC		SIZE	CAGE CODE
MATERIAL		FINISH		A2	00779
				DRAWING NO	
				C2396001	
				SCALE	1:1
				SHEET	3 of 3
				REV	A
				CUSTOMER DRAWING	RESTRICTED TO

A

A

B

B

C

C

D

D