End and intermediate plate; 1 mm thick; gray

www.wago.com/2116-1291



Color:

Data

Physical data

 Width
 1 mm / 0.039 inches

 Height
 91 mm / 3.583 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/2116-1291



Depth 36.5 mm / 1.437 inches

Mechanical Data

Mounting type snap-on type

Material Data

Note (material data)

Information on material specifications can be found here

Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	VO
Fire load	0.098 MJ
Weight	3.4 g

Commercial data

eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4055143747547
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status Compliant, No Exemption

Required accessories

End plate

Through terminal block

Item no.: 2116-1204

2-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 16 mm²; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm²; blue

www.wago.com/2116-1204

Item no.: 2116-1201

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/2116-1291



2-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 16 mm²; with test port; side www.wago.com/2116-1201 and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm²; gray

Item no.: 2116-5201

2-conductor through terminal block; with lever and push-button; 16 mm²; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm²; gray

www.wago.com/2116-5201

Item no.: 2116-5204

2-conductor through terminal block; with lever and push-button; 16 mm 2 ; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP 8 ; 16,00 mm 2 ; blue

www.wago.com/2116-5204

Ground terminal block

Item no.: 2116-1207

2-conductor ground terminal block; with lever and Push-in CAGE CLAMP $^{\circ}$; 16 mm 2 ; with test port; side www.wago.com/2116-1207 and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP $^{\circ}$; 16,00 mm 2 ; green-yellow

Item no.: 2116-5207

2-conductor ground terminal block; with lever and push-button; 16 mm²; with test port; side and center www.wago.com/2116-5207 marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm²; green-yellow

Downloads

Documentation

Bid Text

2116-1291 X81 - Datei	2019 年2月19日	xml 2.6 kB	Download
2116-1291 docx - Datei	2018 年8月8日	docx 14.6 kB	Download
Additional Information		pdf 2.3 MB	Download

CAD/CAE-Data

CAE data

EPLAN Data Portal 2116-1291	URL	Download
ZUKEN Portal 2116-1291	URL	Download
CAD data		
2D/3D Models 2116-1291	URL	Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/2116-1291



Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2116-1291

End and intermediate plate; 1 mm thick; gray

URL

Download

Installation Notes

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

Show all products from the family

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.