


**Data sheet | Item number: 788-122**

Accessories for relay modules; Operation status indicator: red; Nominal operating voltage: 110 VDC

[www.wago.com/788-122](http://www.wago.com/788-122)



**Data  
Notes**

Note Only required when using relays without integrated status indicator!

---

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Technical data

### Control Circuit

Nominal input current at $U_N$	0
--------------------------------	---

### Operating Data

Nominal operating voltage	DC 110 V
---------------------------	----------

Current consumption at $U_N$	1.9 mA
------------------------------	--------

### Signaling

Status indicator	Red LED
------------------	---------

### Safety and protection

Protection type	IP20
-----------------	------

### Mechanical data

Mounting type	Pluggable module
---------------	------------------

### Material Data

Fire load	0.033 MJ
-----------	----------

Weight	1.5 g
--------	-------

### Commercial data

Product Group	6 (INTERFACE ELECTRONIC)
---------------	--------------------------

eCl@ss 10.0	27-37-16-92
-------------	-------------

eCl@ss 9.0	27-37-16-92
------------	-------------

ETIM 8.0	EC002586
----------	----------

ETIM 7.0	EC002586
----------	----------

PU (SPU)	50 (25) pcs
----------	-------------

Packaging type	box
----------------	-----

Country of origin	DE
-------------------	----

GTIN	4045454520656
------	---------------

Customs tariff number	85318070000
-----------------------	-------------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



## Environmental Product Compliance

RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	7(a)

## Approvals / Certificates

### General approvals

Logo	Approval	Additional Approval Text	Certificate name
	EAC Brjansker Zertifizierungsstelle	TP TC 004/2011	EAC RU C-DE.AM02.B.00122 /19

## Downloads

### Documentation

#### Bid Text

788-122 docx - Datei	2019 年2月20 日	docx 15.4 kB	Download
788-122 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download

#### Additional Information

Disposal and Recycling Electrical and electronic equipment, Batteries, Packaging	V 1.1.0 2022 年8月18 日	pdf 2.2 MB	Download
---	-------------------------	---------------	----------

## CAD/CAE-Data

### CAD data

2D/3D Models 788-122	URL	Download
----------------------	-----	----------

### CAE data

ZUKEN Portal 788-122	URL	Download
WSCAD Universe 788-122	URL	Download

EPLAN Data Portal 788-122

Subject to changes. Please also observe the further product documentation!



[URL](#)

[Download](#)

---

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 788-122

[URL](#)

[Download](#)

Accessories for relay modules; Operation status indicator: red; Nominal operating voltage: 110 VDC

---

## Installation Notes

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.