

**Data sheet | Item number: 249-242**

WCB marker tag; MARKED; 2. (20x); not stretchable; Horizontal marking;  
snap-on type; white

[www.wago.com/249-242](http://www.wago.com/249-242)



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Data

### Technical data

Marking method	Thermal transfer
Marking	2.
Marking (number)	20
Marking direction	Horizontal marking
Marking color	black
Marking type	Numbers
Delivery form	Marker card
Flammability class per UL94	V2

### Mechanical Data

Smear resistance	EN 60998-1:2004
------------------	-----------------

### Material Data

Color	white
Halogen-free	Yes
Weight	0.5 g
Fire load	0.015 MJ

### Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-14-11-37
eCl@ss 9.0	27-14-11-37
ETIM 8.0	EC000761
ETIM 7.0	EC000761
PU (SPU)	300 (10) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332275989
Customs tariff number	49119900000

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Subject to changes. Please also observe the further product documentation!



## Downloads

### Environmental Product Compliance

#### Compliance Search

Environmental Product Compliance 249-242

URL

Download

WCB marker tag; MARKED; 2. (20x); not stretchable; Horizontal marking; snap-on type; white

---

## Installation Notes

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.