

Data sheet | Item number: 726-904

Additional module for matrix patchboards; for snap-on fixing to mounting adapter; insulated; with CAGE CLAMP®; 4,00 mm²; gray



www.wago.com/726-904



Color:

Data

Electrical data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Ratings per IEC/EN

| | |
|-------------------------------|-------|
| Nominal voltage (III/3) | 500 V |
| Rated impulse voltage (III/3) | 4 kV |
| Rated current | 10 A |

Connection data

Connection 1

| | |
|-------------------------|--|
| Connection technology | CAGE CLAMP® |
| Solid conductor | 0.08 ... 4 mm ² / 28 ... 12 AWG |
| Fine-stranded conductor | 0.08 ... 4 mm ² / 28 ... 12 AWG |
| Strip length | 9 mm / 0.35 inches |
| Wiring direction | Front-entry wiring |

Physical data

| | |
|--------|------------------------|
| Width | 10.4 mm / 0.409 inches |
| Height | 18.1 mm / 0.713 inches |
| Depth | 20 mm / 0.787 inches |

Material Data

| | |
|----------------------|--|
| Note (material data) | Information on material specifications can be found here |
| Color | gray |
| Fire load | 0.073 MJ |
| Weight | 3.8 g |

Commercial data

| | |
|----------------|-------------------------|
| Product Group | 12 (Matrix Patch Board) |
| eCl@ss 10.0 | 27-14-11-92 |
| eCl@ss 9.0 | 27-14-11-92 |
| ETIM 8.0 | EC002848 |
| ETIM 7.0 | EC002848 |
| PU (SPU) | 25 (1) pcs |
| Packaging type | box |

Subject to changes. Please also observe the further product documentation!



| | |
|-----------------------|---------------|
| Country of origin | DE |
| GTIN | 4017332289306 |
| Customs tariff number | 85369010000 |

Environmental Product Compliance

| | |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

Approvals / Certificates

General approvals

| Logo | Approval | Additional Approval Text | Certificate name |
|------|--|--------------------------|------------------|
| | CCA DEKRA Certification B.V. | EN 60998 | NTR NL-7623 |
| | CSA CSA Group | C22.2,C22.2 No. 158 | 1101143 |
| | KEMA/KEUR DEKRA Certification B.V. | EN 60998 | 71-100850 |

Declarations of conformity and manufacturer's declarations

| Logo | Approval | Additional Approval Text | Certificate name |
|------|---|--------------------------|------------------|
| | EU-Declaration of Conformity WAGO GmbH & Co. KG | - | - |
| | UK-Declaration of Conformity WAGO GmbH & Co. KG | - | - |

Downloads

Documentation

Bid Text

| | | | |
|-------------------------|--------------|-----------------|----------|
| 726-904 docx - Datei | 2019 年2月21 日 | docx 14.2 kB | Download |
| 726-904 X81 - Datei | 2019 年2月19 日 | xml 2.7 kB | Download |

Additional Information

| | | | |
|--|--|---------------|----------|
| | | pdf 2.3 MB | Download |
|--|--|---------------|----------|

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

CAD/CAE-Data

CAE data

| | | |
|---------------------------|---------------------|--------------------------|
| EPLAN Data Portal 726-904 | URL | Download |
| WSCAD Universe 726-904 | URL | Download |

Environmental Product Compliance


Compliance Search

| | | |
|---|---------------------|--------------------------|
| Environmental Product Compliance 726-904 | URL | Download |
| Additional module for matrix patchboards; for snap-on fixing to mounting adapter; insulated; with CAGE CLAMP®; 4,00 mm²; gray | | |

Installation Notes



Snapping on an additional module with contact to mounting frame.



Assembling a matrix patchboard with additional module – direct connection to the mounting frame.

Subject to changes. Please also observe the further product documentation!