

Data sheet | Item number: 790-144

Stand off; for carrier rail; suitable for M5 size screw; with special perforations

www.wago.com/790-144



Data

Technical data

Main product function

Shield termination

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Material Data

Color	silver-colored
Weight	1.3 g

Commercial data

eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	200 (100) pcs
Packaging type	box
Country of origin	CZ
GTIN	4044918965484
Customs tariff number	73181558900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Bid Text

790-144 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
790-144 doc - Datei	2017 年8月31 日	doc 23.6 kB	Download

CAD/CAE-Data

CAD data

2D/3D Models 790-144	URL	Download
----------------------	-----	----------

CAE data

WSCAD Universe 790-144	URL	Download
------------------------	-----	----------

ZUKEN Portal 790-144	URL	Download
----------------------	-----	----------

Subject to changes. Please also observe the further product documentation!

EPLAN Data Portal 790-144

URL

Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 790-144

URL

Download

Stand off; for carrier rail; suitable for M5 size screw; with special perforations

Installation Notes



Securing a spacer sleeve to a specialty slotted DIN-rail.

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.