

# Product data sheet

Specifications



Limit switch head, Limit switches XC Standard, ZCKE, without lever left and right actuation, -40 °C

ZCKE056

## Main

Range of product	Telemecanique Limit switches XC Standard
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKE
Head type	Rotary head
Product compatibility	XCKJ
Associated lever	ZCKY13 ZCKY52 ZCKY53 ZCKY11 ZCKY59 ZCKY41 ZCKY14 ZCKY81 ZCKY43 ZCKY51 ZCKY91
Associated body	ZCKJ21 ZCKJ2 ZCKJ1 ZCKJD35H7 ZCKJD39H29 ZCKJ4104 ZCKJD37H29 ZCKJD35 ZCKJ6 ZCKJ5H29 ZCKJ5 ZCKJ4104H29 ZCKJ9 ZCKJ41 ZCKJ6H7 ZCKJ1H29 ZCKJD39H7 ZCKJ11H7 ZCKJ41H29 ZCKJ41H7 ZCKJD31H29 ZCKJ4H7 ZCKJ7H29 ZCKJ8 ZCKJD31H7 ZCKJ7 ZCKJ21H7 ZCKJ11 ZCKJ7H7 ZCKJ11H29 ZCKJ8H7 ZCKJ2H7 ZCKJ2H29 ZCKJ9H29 ZCKJ6H29 ZCKJ1H7 ZCKJ404

ZCKJD37  
 ZCKJ8H29  
 ZCKJ404H7  
 ZCKJ4104H7  
 ZCKJ5H7  
 ZCKJ404H29  
 ZCKJD39  
 ZCKJ9H7  
 ZCKJD35H29  
 ZCKJ4H29  
 ZCKJ21H29  
 ZCKJ4  
 ZCKJD37H7  
 ZCKJD31

<b>Movement of operating head</b>	Rotary
<b>Type of operator</b>	Without operating lever spring return
<b>Type of approach</b>	Lateral approach, 1 or 2 programmable direction

## Complementary

<b>Switch actuation</b>	From left and/or right CW and/or CCW
<b>Positive opening</b>	With
<b>Product weight</b>	0.165 kg
<b>Head material</b>	Metal

## Environment

<b>Ambient air temperature for operation</b>	-40...70 °C
<b>Ambient air temperature for storage</b>	-40...70 °C
<b>Environmental characteristic</b>	Low temperature

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	4.6 cm
<b>Package 1 Width</b>	8.7 cm
<b>Package 1 Length</b>	4.1 cm
<b>Package 1 Weight</b>	168 g
<b>Unit Type of Package 2</b>	S01
<b>Number of Units in Package 2</b>	27
<b>Package 2 Height</b>	15 cm
<b>Package 2 Width</b>	15 cm
<b>Package 2 Length</b>	40 cm
<b>Package 2 Weight</b>	4.766 kg

## Offer Sustainability

<b>Sustainable offer status</b>	Green Premium product
<b>REACH Regulation</b>	<a href="#">REACH Declaration</a>
<b>EU RoHS Directive</b>	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
<b>Mercury free</b>	Yes
<b>RoHS exemption information</b>	<a href="#">Yes</a>

**California proposition 65**

WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

---

**Contractual warranty**

**Warranty** 18 months

**Recommended replacement(s)**