

box terminal 4 units accessory for: 3VA5 125



Model	
product brand name	SETRON
product designation	accessories
Accessories	Box terminal
General technical data	
designation / of the terminal	TS1.1
Connections according IEC	
connectable conductor cross-section	
<ul style="list-style-type: none"> for copper cable / stranded / minimum for copper cable / stranded / maximum 	1.5 mm ² 70 mm ²
stripped length	12 mm
tightening torque / when using copper cables	
<ul style="list-style-type: none"> solid stranded finely stranded 	1.5 - 16 mm ² : 45 lb-in 1.5 - 16 mm ² : 45 lb-in 25 - 70 mm ² : 70 lb-in 1.5 - 16 mm ² : 45 lb-in 25 - 50 mm ² : 70 lb-in
Connections according UL	
stripped length	0.5 in
connectable conductor cross-section	
<ul style="list-style-type: none"> for copper cable / solid / minimum for copper cable / solid / maximum for copper cable / stranded / minimum for copper cable / stranded / maximum for copper cable / finely stranded / minimum for copper cable / finely stranded / maximum 	14 AWG 10 AWG 14 AWG 3/0 AWG 14 AWG 3/0 AWG
tightening torque / when using copper cables	
<ul style="list-style-type: none"> solid stranded finely stranded 	14 - 10 AWG: 45 lb-in 14 - 6 AWG: 45 lb-in 4 AWG - 3/0: 70 lb-in 14 - 6 AWG: 45 lb-in 4 AWG - 3/0: 70 lb-in
Further information	
Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs	
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9134-0JA11	
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3VA9134-0JA11	
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9134-0JA11	
CAX-Online-Generator http://www.siemens.com/cax	
Tender specifications http://www.siemens.com/specifications	

last modified:

7/5/2022 