




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.

LOC		DIST		REVISIONS					
AF		50		P	LTR	DESCRIPTION	DATE	DWN	APVD
				C		REVISED PER ECR-10-007124	18MAY10	HMR	CJ

- SPECIFICATIONS:  
 MAGNET WIRE #18 - #34 AWG,  
 1.02mm(.040")-0.16mm(.006") DIA. COPPER  
 LEAD WIRE #18 AWG [0.8mm<sup>2</sup>]  
 INSULATED LEAD WIRE.  
 MAX INSULATION O.D. 2.9mm(.115")  
 NO STRIPPING REQUIRED.
- POCKET RECOMMENDATION: #1601421
- △ TERMINAL APPLICATION TO COMPLY WITH  
 TYCO ELECTRONICS SPECIFICATION 114-13166  
 FIGURE 3.
- NOTES:  
 TERMINALS SUPPLIED ON REELS,  
 CAN BE SUPPLIED LOOSE PIECE,
- TWO (2) TERMINALS SHOWN FOR ILLUSTRATION  
 PURPOSES ONLY.



UNPLATED		131-143-000	1601074-1
FINISH		REFERENCE PART NUMBER	PART NUMBER
THIS DRAWING IS A CONTROLLED DOCUMENT.		Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± 0.13[.005] 3 PLC ± - 4 PLC ± - ANGLES ± 2°	
		DWN J.WELLER 11JAN2002 CHK M.FEHER 11JAN2002 APVD K.RANDOLPH 11JAN2002 PRODUCT SPEC 108-2085 APPLICATION SPEC △ 3	
MATERIAL BRASS, SPRING HARD		NAME STANDARD RANGE WIRE TO 18 AWG FIXED I.D.C. SIAMEZE TERMINAL SIZE A2 CAGE CODE 00779 DRAWING NO C=1601074 RESTRICTED TO - WEIGHT - SCALE 6:1 SHEET 1 OF 1 REV C CUSTOMER DRAWING	