# 40.0 x 10.0 x 3.2 (mm) LTE Full-Band Chip Antenna (CC40D7K) Engineering Specification

#### 1. Product Number

H 2 U E 6 P 1 K 2 R 0 1 0 0



#### 2. Features

- \* Compatible with LTE full-band/3G/2G/
- \* Support LTE band 71 600MHz
- \* Stable and reliable in performances
- \* Compact size
- \* RoHS2.0 compliance
- \* SMT processes compatible

### 3. Applications

- \* LTE full-band/3G/2G(included LTE B71).
- \* LTE / GSM / CDMA /DCS /PCS / WCDMA / UMTS / HSDPA / GPRS / EDGE /IMT.

## 4. Description

Unictron's CC40D7K chip antenna is designed for cellular 2G/ 3G/ LTE bands applications, covering frequencies 617~698 MHz & 698~960 MHz & 1710~2690 MHz. Fabricated with proprietary design and processes, CC40D7K shows excellent performance and is fully compatible with SMT processes which can decrease the assembly cost and improve device's quality and consistency.

Unictron
T echnologies Corp.

2020-04-20

Document



### 詠業科技股份有限公司

Unictron Technologies Corporation
Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : James Designed by : George Hung Checked by : Mike Approved by : Herbert

TITLE: 40.0 x 10.0 x 3.2 (mm) LTE Full-Band PCB Chip Antenna (CC40D7K) Engineering Specification NO.

DOCUMENT NO.

H2UE6P1K2R0100
A


# 5. Layout Guide & Electrical Specifications

5-1. Layout Guide (Unit: mm)


Solder Land Pattern:

Top View

The solder land pattern (gold marking areas) is shown below. Recommendation on matching circuit will be provided according to customer's installation conditions.



#### Transmission Line with 50Ω Impedance Characteristic





# 詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

**Bottom View** 

Prepared by : James Designed by : George Hung Checked by : Mike Approved by : Herbert

TITLE: 40.0 x 10.0 x 3.2 (mm) LTE Full-Band PCB Chip Antenna (CC40D7K) Engineering Specification NO.

DOCUMENT NO.


H2UE6P1K2R0100
A

# 5-2. Electrical Specifications (with 138 x 41 mm<sup>2</sup> Evaluation Board) 5-2-1. Electrical Table

Characteristics	Specifications				
Outline Dimension (mm)	40.0 x 10.0 x 3.2				
Ground Plane Dimension (mm)	138 x 41				
Working Frequency (MHz)	617 ~ 798	824 ~ 960	1710 ~ 2170	2300 ~ 2400	2490 ~ 2690
Peak Gain (dBi) (typical)**	1.5	0.9	4.1	5.0	4.0
Efficiency (%) (typical)**	63.1	51	72.6	76.9	76.2
VSWR (@ center frequency)*	<5:1				
Characteristic Impedance $(\Omega)$	50				
Polarization	Linear Polarization				

<sup>\*</sup>Center frequency means the frequency with the lowest value in return loss of the chip antenna on the evaluation board.

#### 5-2-2. Frequency vs. V.S.W.R



2020-04-20

Document



# 詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com


THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION


Prepared by : James Designed by : George Hung Checked by : Mike Approved by : Herbert


TITLE: 40.0 x 10.0 x 3.2 (mm) LTE Full-Band PCB Chip Antenna (CC40D7K) Engineering Specification NO.

| DOCUMENT NO. | H2UE6P1K2R0100 A

<sup>\*\*</sup>A typical value is for reference only, not guaranteed.









# 詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com


THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT **PERMISSION** 

Prepared by : James **Designed by: George Hung** Checked by: Mike Approved by : Herbert

TITLE: 40.0 x 10.0 x 3.2 (mm) LTE Full-Band PCB Chip Antenna (CC40D7K) Engineering Specification

**DOCUMENT** NO.

H2UE6P1K2R0100



Unictron
T echnologies Corp.

2020-04-20

Document Control Cent



# 詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : James Designed by : George Hung Checked by : Mike Approved by : Herbert


TITLE: 40.0 x 10.0 x 3.2 (mm) LTE Full-Band PCB Chip Antenna (CC40D7K) Engineering Specification

DOCUMENT NO.


H2UE6P1K2R0100

REV.

**PAGE** 5 **OF** 14



#### **PIN Definition**




#### **Bottom View**

PIN	1	2	3~4
Soldering Pad	Tuning/Ground	Signal	N/C

#### 6-2. Evaluation Board & Antenna Location





Unit: mm

Unictron
T echnologies Corp.

2020-04-20

Document



# 詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : James Designed by : George Hung Checked by : Mike Approved by : Herbert

TITLE: 40.0 x 10.0 x 3.2 (mm) LTE Full-Band PCB Chip Antenna (CC40D7K) Engineering Specification


DOCUMENT NO.


H2UE6P1K2R0100


### 7. 3D Radiation Gain Pattern (with 138 x 41 mm<sup>2</sup> Evaluation Board)

7-1. 617~698MHz Band

3D Radiation Gain Pattern @ 660 MHz (Unit: dBi)









Unictron
T echnologies Corp.

2020-04-20

Document



# 詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : James Designed by : George Hung Checked by : Mike Approved by : Herbert

TITLE: 40.0 x 10.0 x 3.2 (mm) LTE Full-Band PCB Chip Antenna (CC40D7K) Engineering Specification


DOCUMENT NO.


H2UE6P1K2R0100


REV.

**PAGE** 8 **OF** 14

## 7-2. 698~798MHz Band 3D Radiation Gain Pattern @ 748 MHz (Unit: dBi)









Unictron
T echnologies Corp.

2020-04-20

Document ontrol Cent



# 詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : James Designed by : George Hung Checked by : Mike Approved by : Herbert


TITLE: 40.0 x 10.0 x 3.2 (mm) LTE Full-Band PCB Chip Antenna (CC40D7K) Engineering Specification


DOCUMENT NO.


H2UE6P1K2R0100

#### 7-3. 824~960MHz Band

3D Radiation Gain Pattern @ 890 MHz (Unit: dBi)









Unictron
Technologies Corp.

2020-04-20

Document ontrol Center



# 詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : James Designed by : George Hung Checked by : Mike Approved by : Herbert

TITLE: 40.0 x 10.0 x 3.2 (mm) LTE Full-Band PCB Chip Antenna (CC40D7K) Engineering Specification

DOCUMENT NO.


H2UE6P1K2R0100


REV.


**PAGE** 10 **OF** 14


#### 7-4. 1710~2170MHz Band

3D Radiation Gain Pattern @ 1950 MHz (Unit: dBi)











# 詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT **PERMISSION** 

Prepared by : James **Designed by: George Hung** Checked by : Mike **Approved by : Herbert** 

TITLE: 40.0 x 10.0 x 3.2 (mm) LTE Full-Band PCB Chip Antenna (CC40D7K) Engineering Specification

**DOCUMENT** NO.


H2UE6P1K2R0100


REV.


PAGE 11 OF 14


#### 7-5. 2300~2400MHz Band

3D Radiation Gain Pattern @ 2350 MHz (Unit: dBi)









2020-04-20

Document



# 詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : James Designed by : George Hung Checked by : Mike Approved by : Herbert


TITLE: 40.0 x 10.0 x 3.2 (mm) LTE Full-Band PCB Chip Antenna (CC40D7K) Engineering Specification


DOCUMENT NO.


H2UE6P1K2R0100


#### 7-6. 2490~2690MHz Band

3D Radiation Gain Pattern @ 2590 MHz (Unit: dBi)









2020-04-20

Document



# 詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : James Designed by : George Hung Checked by : Mike Approved by : Herbert


TITLE: 40.0 x 10.0 x 3.2 (mm) LTE Full-Band PCB Chip Antenna (CC40D7K) Engineering Specification

DOCUMENT NO.

H2UE6P1K2R0100


## 8. Frequency tuning and Matching circuit

#### 8-1. Chip antenna tuning scenario:



### 8-2. Matching circuit:

With the following recommended values of matching and tuning components, the covering frequencies will be about 617~960 MHz & 1710~2690 MHz at our standard  $138 \times 41$  mm<sup>2</sup> evaluation board. However, these are typical reference values which may need to be changed when circuit boards or part vendors are different.



System Matching Circuit Component						
Location	Description	Vendor	Tolerance			
1 Fine tuning element	3.3pF, (0402)	MURATA	±0.05pF			
2 Fine tuning element	N/C	-	-			
3 Fine tuning element	9.3 nH, (0402)	MURATA	±2%			
4	N/C	-	-			
5	4.7 nH, (0402)	MURATA	±0.3 nH			
6	N/C	T ech	Unictron nologies Corp.			

2020-04-20

Document

Unictron Technologies Corp.

# 詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : James Designed by : George Hung Checked by : Mike Approved by : Herbert

TITLE: 40.0 x 10.0 x 3.2 (mm) LTE Full-Band PCB Chip Antenna (CC40D7K) Engineering Specification NO.

| DOCUMENT NO. | H2UE6P1K2R0100 | REV. | A