

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20


© COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.


LOC FT DIST 0

REVISIONS



P	LTR	DESCRIPTION	DATE	DWN	APVD
	D	REVISED PER ECO-12-017406	29SEP2012	KH	MB



- 1 MATERIALS AND FINISH
HOUSING: PA 6-6, UL 94-V0, COLOR GREEN.
CLAMP: BRASS, NICKEL PLATED.
TERMINAL: BRASS, TIN PLATED.
CLAMPING SCREW: M3, BRASS, NICKEL PLATED.
- 2 SUITABLE FOR 1,6-2,4mm PC BOARD THICKNESS.
- 3 END-TO-END STACKABLE W/INTERLOCK WITHOUT LOSS OF CENTERLINE SPACING.
- 4 WIRE SIZE RANGE
12 - 30 AWG
- 5 RECOGNIZED UNDER THE COMPONENT PROGRAM OF UNDERWRITERS LABORATORIES INC. FILE N° E60677.
- 6 IMQ CERTIFICATE WITH SURVEILLANCE IMQ IN CONFORMITY WITH IEC 998-1/998-2-1.
- 7 NOT CUMULATIVE TOLERANCE.




282921-3 AS SHOWN



15.24	3	282921-3
10.16	2	282921-2
DIM.A	N° OF POS.	PART NUMBER

RECOMMENDED PC BOARD LAYOUT



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 09NOV2001 E. ZANOLINI		STE TE Connectivity	
DIMENSIONS: mm		CHK 09NOV2001 D. BIEVENOUR			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 09NOV2001 D. BIEVENOUR		NAME	
0 PLC ±-		PRODUCT SPEC		TERMINAL BLOCK, PCB MOUNT	
1 PLC ±.3		108-20166		2ND LEVEL	
2 PLC ±.25		APPLICATION SPEC		STACKING W/INTERLOCK, 5.08mm PITCH	
3 PLC ±-		114-20079		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
4 PLC ±-		WEIGHT -		A300779 C-282921	
ANGLES ±2		CUSTOMER DRAWING		SCALE 3:1 SHEET 1 OF 1 REV D	
FINISH					