





The **NBnano** is a LoRaWAN management system that brings the IoT world into the Automation, Energy Management and Building Management System.

Translate any LoRaWAN sensor into BACnet, ModBus or MQTT.

Product Features

- ModBus, BACnet, MQTT and API interfaces
- Configure alerts & notifications
- Sensor data visualization and exporting
- Local data storage
- Remote access via VPN
- Support for hundred of LoRaWAN devices
- Integration into most Energy Management and Building Management Systems

Advantages

- Cost effective solution
- Only one NBnano is required per installation
- Flexible deployment of gateways
- Bring data from multiple protocols into a single unified data stream
























LoRaWAN Sensors

Main Applications

- Building Automation
- Energy Management
- SCADA Systems
- Protocol Conversion



NBnano 🚉	Modbus TCP/IP	BACnet	{REST:API}	™MQTT
Modbus		②	②	•
Modbus	Ø		②	
BACnet	Ø		Ø	•
LogRaWAN*	②			



















Specifications

Product Type	NBnano	
Product Family	On-premise Platform	
Function	Device management and data logging of LoRaWAN sensors. Protocol conversion for BMS, and SCADA systems.	
Maximum Number of Devices	Supports up to 1,500 devices *	

Hardware		
Processor	2.0 - 2.70GHz Intel Celeron J4125	
RAM	4GB RAM	
Storage	128GB SSD	
Dimensions (mm)	L 125mm x W 170mm x H 35mm	
Weight	890 g	
Operating Temperature	-10°C to +60°C	
Humidity	5%~90% @30°C - No condensation	
Power Supply	Input AC100-240V, Output DC12V-5A/3A	
Operating System	Linux Based	

Interfaces		
USB	2x USB 3.0 2x USB 2.0	
RS232	2x RS232 Serial Ports	
Ethernet	2x Ethernet	
Wifi	1x Adapter 2x antennas	

^{*} Based on an average of 5 KPI's per device



























IoT Solutions for:

Building Automation Indoor Air Quality Energy Management Smart Metering Industrial IoT

Contact Us

info@iqnexus.com +64 7 262 00 99 556 Cameron Road, Tauranga New Zealand www.iqnexus.com