




PART NUMBER	DIM "A"	DIM "B"	DIM "D"
74773-1132	4.40±0.10	22.00	23.95
74773-1103	3.50±0.05	34.00	35.95
74773-1132LF	4.40±0.10	22.00	23.95
74773-1103LF	3.50±0.05	34.00	35.95



NOTES :

- BODY MATERIAL: LIQUID CRYSTAL POLYMER 30% GLASS. FLAME RETARDANT ACC. TO UL 94-V0. COLOR: NATURAL.
- FOR LEAD FREE NUMBERS, ADD AN 'LF' SUFFIX. PART NUMBERS THAT DO NOT END IN 'LF' ARE LEAD FREE. EXAMPLE: 74773-1132LF
- THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF AND THE NONE LF PART NUMBERS MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOUR PHASE REFLOW OVEN.

mat'l. code				surface		tolerance		projection		product family	
SEE NOTES				ASME Y14.5		ASME Y14.5		MM		METRAL	
ltr	ec'n no	dr	date	tolerances unless otherwise specified						title	
A	V80842	MDF	5/19/98	angles	1/16	X ±3	MM		5 ROW SHROUD		
B	V12696	EPK	11/16/01		1/16	XX ±.13	scale 1:1				
C	V21667	CGD	10/17/02	0' ±2'	1/16	.XXX ±.051					
D	V06-0080	JRV	3/15/06	dr		M. FETROW	5/19/98		dwg no sheet 1 of 1 size		
E	V06-0622	JRV	2006-06-26	eng		C. PENDLETON	5/19/98		74773 A4		
				chr		D. McCLUNE	5/19/98		type CUSTOMER Drawing		
				appd		C. PENDLETON	5/19/98				
sheet index	revision sheet	E	1								