




REVISIONS			
REV.	ECN, ERN NO.	DATE	APPRD.
A	PROPOSAL	APR 26/18	LCHAN




FRONT VIEW




SIDE VIEW



RECOMMENDED PANEL CUTOUT



BOTTOM VIEW



NOTES

1. MATERIAL:


HOUSING: HIGH TEMPERATURE THERMOPLASTIC
FLAMMABILITY RATING UL 94V-0
COLOR:BLACK

CONTACTS: PHOSPHOR BRONZE
PLATING: 20 μ" [0.508 MICRONS]
MIN. GOLD ON MATING SURFACES.
50 μ" [1.27 MICRONS]
MIN. NICKEL UNDERPLATE
100 μ" [2.54 MICRONS]
MIN. MATTE TIN OR GOLD FLASH
ON CONTACT TAILS.

SOLDER TAB: COPPER ALLOY WITH TIN PLATING.

2. COPLANARITY SPECIFICATION:
WITH THE MODULAR JACK SITTING ON A
LEVEL SURFACE, THE MAXIMUM GAP BETWEEN
THE LEVEL SURFACE AND ALL TERMINAL TAILS
AND BOTH FITTING NAILS IS .004 [0.10].

AMPHENOL PART NUMBER: RJSSE-5080-02



RECOMMENDED P.C.B. LAYOUT
(COMPONENT SIDE OF BOARD)



LOCATE FEATURES
⊕ | ø.005 [0.13]
POSITION DIMENSIONS
ARE BASIC

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION
MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING
PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

DRAWN	RONNIE.C	DATE	APR26/18
DESIGNED			
CHECKED	AMY.Z	DATE	APR26/18
I. E. APPRD.			
Q. A. APPRD.			
DWG. APPRD.			
ENG. REL. NO.			
REF.	EAR# RJ18088		
DIMENSIONS ARE IN	INCHES [mm]	CODE ID. NO.	03554

Amphenol Canada Corp.

TITLE 2 PORTS SURFACE MOUNT JACK, UNSHIELDED,
WITH HOLD DOWN BRACKET, 8 POSITION
& 8 CONTACTS (TRAY PACKAGE)-RoHS COMPLIANT

DWG	DRAWING NO.	REV.
	P-RJSSE-5080-02	A
SCALE	WT. -----	SURF. -----
		SHEET 1 OF 1