



PART NUMBER TABLE

MATERIAL NUMBER	# OF COLUMNS	# OF DIFF PAIR	DIM. A	DIM. B	DUAL END WALL OPTION
76055-*12*	10	50	21.7	17.10	
76055-*22*	12	60	25.5	20.90	
76055-*72*	14	70	29.3	24.70	
76055-*62*	16	80	33.1	28.50	




DUAL END
WALL OPTION

MATERIAL NUMBER	# OF COLUMNS	# OF DIFF PAIR	DIM. A	DIM. B	LEFT END WALL OPTION
76055-*11*	10	50	20.3	17.10	
76055-*21*	12	60	24.1	20.90	
76055-*71*	14	70	27.9	24.70	
76055-*61*	16	80	31.7	28.50	




LEFT END
WALL OPTION

MATERIAL NUMBER	# OF COLUMNS	# OF DIFF PAIR	DIM. A	DIM. B	RIGHT END WALL OPTION
76055-*13*	10	50	20.3	17.10	
76055-*23*	12	60	24.1	20.90	
76055-*73*	14	70	27.9	24.70	
76055-*63*	16	80	31.7	28.50	



RIGHT END
WALL OPTION

MATERIAL NUMBER	# OF COLUMNS	# OF DIFF PAIR	DIM. A	DIM. B	OPEN WALL OPTION
76055-*10*	10	50	18.9	17.10	
76055-*20*	12	60	22.7	20.90	
76055-*70*	14	70	26.5	24.70	
76055-*60*	16	80	30.3	28.50	



OPEN
WALL OPTION

MIGRATED TO NX

EC NO: 167466

DRWN: ABABU01

CHKD: CD

REV APPR: GGA

2017/10/31

2017/10/31

2017/11/02

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 0.5 °

4 PLACES ±

3 PLACES ±

2 PLACES ± 0.13

1 PLACE ± 0.25

0 PLACES ±

DRAFT WHERE APPLICABLE
MUST REMAIN WITHIN DIMENSIONS

DIMENSION UNITS
MM

SCALE
2:1

DRWN BY
JLAURX

DATE
2007/06/18

CHK'D BY
JLAURX

DATE
2007/06/18

APPR BY
JLAURX

DATE
2010/10/15

DRAWING SIZE
C

THIRD ANGLE PROJECTION

76055

SERIES

MATERIAL NUMBER

CUSTOMER

GENERAL MARKET

DOCUMENT NUMBER

SD-76055-001

DOC TYPE

PSD

DOC PART

001

SHEET NUMBER

2 OF 3

PRODUCT CUSTOMER DRAWING

IMPACT 5 PAIR HEADER
UNGUIDED ASSEMBLY SALES DRAWING

molex®

RELEASE STATUS

P1


RELEASE DATE

02.11.2017

08:14:48

121110987654321

FORMATS: moxnet-01-prod-C
REVISION: G
DATE: 20160506



PART NUMBER LOGIC


76055-****

MODULE TYPE
1 = UNGUIDED,TIN

OF COLUMNS
1 = 10 COL.
2 = 12 COL.
6 = 16 COL.
7 = 14 COL

P=PIN LENGTH
3 = 4.50 (SHORT COMPLIANT, 0.46±0.05 PTH)
4 = 4.90 (SHORT COMPLIANT, 0.46±0.05 PTH)
5 = 5.50 (SHORT COMPLIANT, 0.46±0.05 PTH)
6 = 4.50 (MICRO COMPLIANT, 0.39±0.05 PTH)
7 = 4.90 (MICRO COMPLIANT, 0.39±0.05 PTH)
8 = 5.50 (MICRO COMPLIANT, 0.39±0.05 PTH)

ENDWALL OPTIONS
0 = OPEN ENDS
1 = LEFT END WALL
2 = DUAL END WALL
3 = RIGHT END WALL

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
MIGRATED TO NX EC NO: 167466 DRWN: ABABU01 CHKD: CD REV APPR: GGA	2017/10/31	2017/11/02	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®					
	2017/10/31				MM		2:1							
				ANGULAR TOL ± 0.5 °		DRWN BY		DATE		IMPACT 5 PAIR HEADER UNGUIDED ASSEMBLY SALES DRAWING				
				4 PLACES ±		JLAURX		2007/06/18						
				3 PLACES ±		CHK'D BY		DATE						
				2 PLACES ± 0.13		JLAURX		2007/06/18						
				1 PLACE ± 0.25		APPR BY		DATE						
				0 PLACES ±		JLAURX		2010/10/15		PRODUCT CUSTOMER DRAWING				
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION						SERIES
							C			76055	SEE TABLE		GENERAL MARKET	
								DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER		
J2								SD-76055-001		PSD	001	3 OF 3		