

**Data sheet | Item number: 793-696**

WMB marking card; as card; MARKED; U4, V4, W4, U4, V4, W4, U4, V4, W4,...  
(10x); not stretchable; Vertical marking; snap-on type; white

[www.wago.com/793-696](http://www.wago.com/793-696)



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Data

### Technical data

|                             |  |
|-----------------------------|--|
| Marking method              | Thermal transfer                       |
| Marking                     | U4, V4, W4, U4, V4, W4, U4, V4, W4,... |
| Marking (number)            | 10                                     |
| Marking direction           | Vertical marking                       |
| Marking color               | black                                  |
| Marking type                | Symbol                                 |
| Marking differentiation     | Consecutive symbols each strip         |
| Delivery form               | Marker card                            |
| Delivery form configuration | 10 strips with 10 markers per card     |
| Flammability class per UL94 | V2                                     |

### Physical data

|                    |      |
|--------------------|------|
| Marker/strip width | 5 mm |
| Marker width       | 5 mm |

### Mechanical Data

|                  |                 |
|------------------|-----------------|
| Smear resistance | EN 60998-1:2004 |
|------------------|-----------------|

### Material Data

|               |                               |
|---------------|-------------------------------|
| Color         | white                         |
| UV resistance | EN 60068-2-5:2010 Procedure B |
| Halogen-free  | Yes                           |
| Weight        | 8.5 g                         |
| Fire load     | 0.264 MJ                      |

### Commercial data

|                |                                |
|----------------|--------------------------------|
| Product Group  | 2 (Terminal Block Accessories) |
| eCl@ss 10.0    | 27-14-11-37                    |
| eCl@ss 9.0     | 27-14-11-37                    |
| ETIM 8.0       | EC000761                       |
| ETIM 7.0       | EC000761                       |
| PU (SPU)       | 50 (5) pcs                     |
| Packaging type | box                            |

Subject to changes. Please also observe the further product documentation!



|                       |               |
|-----------------------|---------------|
| Country of origin     | DE            |
| GTIN                  | 4017332639873 |
| Customs tariff number | 49119900000   |

### Environmental Product Compliance

|                        |                         |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

### Downloads

#### Environmental Product Compliance

##### Compliance Search

| Environmental Product Compliance 793-696  | URL | Download |
|---|-----|----------|
| WMB marking card; as card; MARKED; U4, V4, W4, U4, V4, W4, U4, V4, W4,... (10x); not stretchable; Vertical marking; snap-on type; white |     |          |

### Installation Notes

#### Application



Separating a strip from the WMB or WMB marker card.



Stretching a WMB marker strip.

Subject to changes. Please also observe the further product documentation!




Separating an individual marker from the WMB marker strip – for larger terminal blocks.




Snapping a marking strip into the marker slot.

### Marking



Snapping a WMB marker strip into the marker slot of the double marker carrier.



Snapping a marking strip into the marker slot.

### Product family

**WMB Multi marking system**

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!