



M / scale 2:1

Bestückungsplan / contact layout



Lochbild für Leiterplatte
(Bestückungsseite)

board hole pattern
(component mounting side)



- 1) $\varnothing 0,6 \pm 0,05$ Durchmesser des metallisierten Loches
- $\varnothing 0,6 \pm 0,05$ Diameter of finished plated-through hole

Schichtaufbau im metallisierten Loch siehe Zeichnung 164062 Nr.1
Metal plating of plated-through hole according to 164062 No.1

Fehlende Maße und Angaben nach IEC 61076-4-101
Missing information and dimensions per IEC 61076-4-101

| | | | |
|---|---|---|--------------------|
| <p>Information:</p> <p>Anforderungsstufe 2 / class 2</p> <p>All rights reserved. Only for Information. To ensure that this is the latest version of this drawing, please contact one of the ERNI companies before using.</p> <p>Copyright by ERNI Production GmbH & Co. KG Proprietary notice pursuant to ISO 16016 to be observed.</p> | <p>Tolerances</p> <p>All Dimensions in mm</p> | <p>Scale</p> <p>2:1</p> | |
| | <p>Subject to modification without prior notice. Drawing will not be updated.</p> | <p>Designation</p> <p>ERmet-FS Federleiste C <i>ERmet-Female Straight Type C</i></p> | |
| | <p> www.ERNI.com</p> | <p>104704</p> | <p>1</p> <p>A3</p> |
| <p>c</p> <p>Index</p> | <p>04.04.2018</p> <p>Date</p> | <p>Class</p> <p>ERMC</p> | |