

工	G	нт. П	m	0







LAYOUT SHOWN AS

Keying Shown as example

## CHARACTERISTICS

ယ

 $\sim$ 

-Mass

BASIC SERIES:

SHELL SIZE : 11

Н

SHELL TYPE : Square Flange Receptacle

CONTACT TYPE : Standard Crimp Contact

PLATING : W = Olive drab Cadmium

-Standard : Based on MIL-DTL-38999 Series III

-Shell Material	: Aluminium			
-Shell Plating	: Olive drab Cadmium			
-Insulator	: Thermoplastic			
-Contacts	: Copper Alloy			
-Seals & Grommet	: Silicon Elastomer			
-Contact Plating	: Gold over copper Alloy $0.8 \mu m$ minimum			
-Durability	: 500 Mating cycles			
-Delivered with Souriau contacts and Accessories				
-Temperature Range	-65℃ to +175℃			
-Salt Spray	: 500 hours			

: 13.92 g ± 10%

8D 0

G

11

W

22

S


F

D

Connector dimension			
Dim	Nominal		
Р	3.25±0.2		
PP	4.93±0.2		
R1	20.62		
R2	18.26		
S	26.2±0.3		
V	20.83+0/-1.25		
W	2.1/2.5		
Z	31.5 Max		
VV THREAD	M15x1-6g		

Е

SOURIAU shall not be liable for due to a use of the Products the Specifications issued by either (professional recommend



	σ		A		
		•			4
S EXA	AMPLE				3
s whic er of t	non-conformit ch does not co he Parties or t on, technical n Jurisd	mply with by a third part			2
1W	'22SD				
				MOD N°	
		CUSTOME	R DRAWING		
um	m Receptacle 8D series				
ar :			PROJECT		
This document is the property of					1
	.COM SOURIAU it must not be reproduced or communicated without permission				
	U DRG N° SHEET				
W2	2SD-C		Δ	1/2	J
	В	1	А		

		_				
		Contact Layout				Panel Cuto
		22*				SQUARE FLANGE RECEPTACLE (TYPE 0) REAR MOUNTING
4	(	0 0 <sup>4</sup> c <sup>0</sup> 0 <sub>8</sub>			× -	
	Ctc	4#22D 11-22 X Y			v	
	A B C D	1.905 1.905   1.905 -1.905   -1.905 -1.905   -1.905 1.905	-			Dim ØA
ω		-1.903 1.903	]			ØAA R1 ØT
	<b>F</b>					SOURIAU shall not be liable for an due to a use of the Products w
N						the Specifications issued by either of (professional recommendation)
						PN: 8D011
					A 08-10-20 ISS DATE Designed By:	16 First Release Latest modification - by Date:
					SCALE	Aluminiur General linear Tolerances:
<b>→</b>					SOURIA	
			1		FORMAT A3	SOURIAL 8D011W
	Н	G	F	E	D	C

Т

ш

т

G

0

