



REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
G2		REVISED PER ECN-22-165640	21JUL2022	RK MF



- 1 THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND HOUSING
- 2 POINT OF MEASUREMENT FOR PLATING THICKNESS.
- 3 ASSEMBLY MAY BE BROKEN TO THE DESIRED NUMBER OF POSITIONS
- 4 BREAKAWY NOTCH ANGLE CAN BE ORIENTED TO THE RIGHT (AS SHOWN) OR TO THE LEFT
- 5 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

OBSOLETE



RECOMMENDED HOLE LAYOUT

SUPERSEDED	3.984	3.900	39	80	-4	103149-0
OBSOLETE	3.884	3.800	38	78	-3	103149-9
	3.784	3.700	37	76	-3	103149-8
	3.684	3.600	36	74	-3	103149-7
SUPERSEDED BY 8-146308-6	3.584	3.500	35	72	-3	103149-6
	3.484	3.400	34	70	-3	103149-5
	3.384	3.300	33	68	-3	103149-4
	3.284	3.200	32	66	-3	103149-3
	3.184	3.100	31	64	-3	103149-2
	3.084	3.000	30	62	-3	103149-1
OBSOLETE	2.984	2.900	29	60	-3	103149-0
	2.884	2.800	28	58	-2	103149-9
	2.784	2.700	27	56	-2	103149-8
	2.684	2.600	26	54	-2	103149-7
	2.584	2.500	25	52	-2	103149-6
	2.484	2.400	24	50	-2	103149-5
OBSOLETE	2.384	2.300	23	48	-2	103149-4
	2.284	2.200	22	46	-2	103149-3
	2.184	2.100	21	44	-2	103149-2
	2.084	2.000	20	42	-2	103149-1
	1.984	1.900	19	40	-2	103149-0
	1.884	1.800	18	38	-1	103149-9
OBSOLETE	1.784	1.700	17	36	-1	103149-8
OBSOLETE	1.684	1.600	16	34	-1	103149-7
SUPERSEDED BY 5-146308-2	1.584	1.500	15	32	-1	103149-6
	1.484	1.400	14	30	-1	103149-5
SUPERSEDED BY 5-146308-2	1.384	1.300	13	28	-1	103149-4
	1.284	1.200	12	26	-1	103149-3
SUPERSEDED BY 5-146308-2	1.184	1.100	11	24	-1	103149-2
	1.084	1.000	10	22	-1	103149-1
SUPERSEDED BY 5-146308-2	.984	.900	9	20	-1	103149-0
	.884	.800	8	18	-	103149-9
SUPERSEDED BY 5-146308-2	.784	.700	7	16	-	103149-8
	.684	.600	6	14	-	103149-7
SUPERSEDED BY 5-146308-2	.584	.500	5	12	-	103149-6
	.484	.400	4	10	-	103149-5
SUPERSEDED BY 5-146308-2	.384	.300	3	8	-	103149-4
	.284	.200	2	6	-	103149-3
SUPERSEDED BY 5-146308-2	.184	.100	1	4	-	103149-2
	.084	—	—	2	-	103149-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN H MOLL 23OCT87	TE Connectivity	
DIMENSIONS: INCHES		CHK T. CLARK 23OCT87		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD T. CLARK 29OCT87	NAME	
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± .005 4 PLC ± - ANGLES ± -		PRODUCT SPEC APPLICATION SPEC SIZE CAGE CODE DRAWING NO WEIGHT — A1 — C=103149		NO OF POSN ASSEMBLY PART NUMBER
MATERIAL: HOUSING: FLAME RETARDANT THERMOPLASTIC COLOR:BLACK POST: COPPER ALLOY FINISH: POST: .00050 GOLD IN THE CONTACT AREA .00050 WHITE IN-PLAD ON THE SOLDER TAIL ALL OVER .00050 NICKEL		CUSTOMER DRAWING		SCALE 4:1 SHEET 1 of 1 REV G2