NOTES:		115101-30-XX.XX		
		DRAWING NO.	REV	DESCR
1. PACKAGE CABLE ASSEMBLIES IN A BAG. LABEL BAG WITH AMPHENOL 115101-30-XX.XX AND D	ATE LUDE.	THIRD ANGLE PROJ. 🤆	$\bigcirc \triangleleft \land \land$	RELEASE
2. CABLE ASSEMBLY TO BE 100% TESTED FOR HI-POT, CONTINUITY, SHORTS AND OPEN.		Y (CEE TADIE)		Ć
	LENGTH XX.X	X (SEE TABLE) —		
0.75″ MAX [19.05 MM] TYP(2)	LENGTH TA PART NUMBER 115101-30-06.00 115101-30-12.00 115101-30-18.00 115101-30-24.00 115101-30-36.00 115101-30-48.00 * ADDITIONAL LENGTHS BY CHANGING XX.XX TO CONTACT CONNEX MARKE	LENGTH (IN.) 06.00 ±0.25 12.00 ±0.25 18.00 ±0.25 24.00 ±0.50 36.00 ±0.50 48.00 ±0.50 CAN BE PROVIDED DESIRED LENGTH IN INCHES		
DESIGN REQUIREMENTS:				
FREQUENCY: TO GHz X CONTINUITY VSWR: 1 MAX X HI-POT : 500 VRMS INS. LOSS dB MAX OTHER			009	0-954-341 A/R 3 0-881-294 A/R 2 112132 2 1 1T NUMBER QTY ITEM
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES $\pm.015$ (0,381 mm) $\pm.005$ (0,127 mm) \pm 1°MATERIALNOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.REFERENCE	E NG C L E A P F	MENT I NEER MENT	DATE 16-Apr-13 DATE 16-Apr-13 DATE	TITLE BNC CRIMP PLUG T BNC CRIMP PLUG, USING LMR 100 CO VARIOUS LENGTHS

