

• **What makes DeoxIT® products different?**

DeoxIT® Essentials are four unique formulations guaranteed to improve the performance and reliability of ALL electronic devices and equipment.



General “contact cleaners” are effective in washing away surface dirt, dust, and grime from surfaces, but prove ineffective for removing oxidation and metal sulfides.

These tough contaminants actually attach to, and become an integral part of the contact metal, causing reduced performance, system failures and increased service calls.

The only true method of eliminating oxidation and surface sulfides is by chemical action and reaction, and that’s what puts **DeoxIT®** products in a class by themselves.

So when you want to do general cleaning and remove dust, dirt, and grime, and other surface contaminants, use a general flushing cleaner (CAIG part #DCC-V511, DDW-V611, DFW-V711). When you need to safely cure contact related problems and dramatically improve equipment performance ...

... **CHOOSE DeoxIT®.**

The **DeoxIT® Essentials**, world recognized as the best products to improve the performance and reliability of ALL your electronic devices and equipment, **GUARANTEED!**

When performance and reliability are essential, you need the DeoxIT® Essentials!


Industrial manufacturing and atmospheric contamination causes poor performance, intermittent signals and in some cases, total device failure.

Problem with contact cleaners:


- ✗ Solvents flush away surface contamination but do not solve the problem
- ✗ Cannot remove/lift off oxides, sulfides and other contaminants, the major cause of decreased performance and failures
- ✗ Do not improve conductivity
- ✗ Most are not safe on plastics
- ✗ High waste, less eco-friendly



Corrosion you **CAN** see



Connections **APPEAR** clean
(even after using generic
contact cleaners or alcohol)



Corrosion you **CAN'T** see
(what lies beneath)

DeoxIT® Solutions:

- + Do not require solvents
- + Active ingredients quickly removes surface contamination (oxides and sulfides) without harm to metals and plastics
- + Increases conductivity (without causing shorts)
- + Addresses supplier cleaning issues
- + Seals & protects surfaces
- + Actively displaces moisture & contaminants
- + No waste - safer for the environment
- + Works, when others do not!

Bottom Line - DeoxIT®, Guaranteed to Improve the Performance & Reliability of ALL Equipment & Parts!

● **DeoxIT® D-Series**

Improves & Protects Metal-to-Metal Connections & Contacts

Contact / Connector Rejuvenator “Bring Old Systems Back to Life!”

(Strongest deoxidizer in the DeoxIT® line)

Fast acting solution that removes oxidation, improves conductivity, lubricates & protects.

- + Removes/displaces oxidation & corrosion
- + Reduces intermittent connections
- + Improves signal quality & data transfer speeds
- + Reduces wear and abrasion
- + Actively displaces moisture & contaminants
- + Lubricates, and seals connections
- + Reduces arcing and RFI
- + Ideal for connections under vibration

Where to Apply DeoxIT® D-Series:

- + ALL Metal Connections
- + Batteries, Light Bulbs
- + Switches and Relays
- + Jacks and Plugs
- + Harnesses, Grounding Blocks
- + RCA Jacks, XLRs, USB, HDMI, Ethernet, etc.
- + Rechargeable Devices

- **Temperature* Range:** -34°C to +200° C

* NOTE: Temperature ranges may vary depending on conditions. On critical applications, independent testing is highly recommended.



DeoxIT® D-Series contact/connector treatment removes oxides and sulfides that form on metal surfaces. This restores the contact's integrity and leaves a thin microscopic layer that protects the metal. Special additives improve conductivity and prevent dissolved oxides from re-attaching, keeping them in suspension and allowing them to be easily dispersed by the mechanical action of the contact.

Directions for use:

Turn off device. Apply **DeoxIT® D-Series** contact treatment, wait 2 minutes, wipe with a clean lint-free cloth or swab. *If you notice a green or black coloration, this indicates dissolved oxides.* Repeat process until the cloth appears clean. Wipe off excess. Wait 2 minutes, then turn on device.

NOTE: Use **DeoxIT® Gold G-Series** on gold metal surfaces (i.e., nonferrous or other precious metals).

● **DeoxIT® Gold G-Series**

Improves & Protects Gold Plated Connections & Contacts

**Contact Enhancer & Protector
for Gold Surfaces & Critical Applications**

“Maximize System Performance”

- + Reduces noise and distortion
- + Improves clarity and definition
- + Faster & reliable data transfers
- + Reduces wear & abrasion
- + Prevents fretting / dendrite corrosion
- + Stabilizes connections between similar and dissimilar metals
- + Ideal for connections under vibration
- + Reduces arcing, RFI and intermittents

Where to Apply DeoxIT® Gold:

- + Computer connections
- + Audio/video connections
- + Low voltage devices
- + Switches, RCA jacks, HDMI, Ethernet, etc.
- + Nonferrous metal surfaces
- + Test equipment, probes and sockets
- + High performance and critical applications

Temperature* Range:

● **DeoxIT® GOLD G100L:** -34°C to 240°C ● **DeoxIT® GOLD GxL:** -45°C to 310°C ● **DeoxIT® GOLD Gx2:** -45°C to 400°C

* **NOTE:** Temperature ranges may vary depending on conditions. On critical applications, independent testing is highly recommended.



DeoxIT® Gold G-Series is a unique formulation which conditions, seals, and protects gold plated metal connectors and contacts. **DeoxIT® Gold** is ideal for gold and all nonferrous metal surfaces. It deoxidizes minor amounts of surface contamination, penetrates plated surfaces, and molecularly bonds to the base metal, sealing and protection all surfaces.

Directions for use:

Turn off device. Pre-clean with **DeoxIT® D-Series** contact treatment on heavily oxidized surfaces. Apply **DeoxIT® Gold G-Series**, wait 2 minutes, wipe with a clean lint-free cloth or swab. *If you notice a green or black coloration, this indicates dissolved oxides.* Repeat process until the cloth appears clean. Then wipe off excess. Wait 2 minutes, then turn on device.

● **DeoxIT® Gold G-Series**

Considering the hundreds (if not thousands) of connections in electronic equipment today, it is only a matter of time before they begin to fail, primarily due to oxidation and corrosion. It only takes one to cause interruptions or failures.

Physical and chemical changes in surface conditions of electrical or electronic connectors are a primary cause of degraded performance in components and equipment.

When contact surfaces are exposed to dust, smoke, gases, soot, and other solids suspended in the atmosphere, non-metallic films form, inhibiting conductivity. Oxidation is the most common reaction causing metal oxide formations.

Salt-laden air in coastal areas corrodes most metals, forming chloride films. Humidity, condensation, salts, sulfur, and acid fumes are also common causes of rust, corrosion, and oxidation. Added resistance and friction between metal surfaces can also cause abrasion, noise, freeze-up, and in some cases, increased power consumption.




DeoxIT® Gold G-Series is specifically formulated to improve conductivity and provide long-lasting protection on gold, precious metals and their base metals. It

penetrates connectors, contacts, and other metal surfaces and conditions these surfaces; enhancing the conductivity characteristics to efficiently transmit electrical signals.

DeoxIT® Gold can be used on all metal surfaces. It is formulated to remove minor amounts of oxidation caused by wear, abrasion or dendrite corrosion. DeoxIT® Gold coats the entire contact surface and connection, providing superior protection from abrasion (insertion resistance), dendrite corrosion, arcing, RFI, wear, and atmospheric contamination, even under vibration.

DeoxIT® Gold is effective on stationary and moving contacts and connectors with similar or dissimilar metals. When a treated and untreated connector mate, DeoxIT® Gold migrates to coat both surfaces. When connectors separate, DeoxIT® Gold recoats both exposed metal surfaces.

DeoxIT® Gold's unique formula contains conditioners, deoxidizers, preservatives, conductivity enhancers, arcing & RFI inhibitors and anti-tarnishing compounds. This reduces intermittent connection problems and significantly increases the quality and reliability of electrical and electronic components and equipment.



***Prevent
dendrite/fretting
corrosion & blistering
of metals.***

● DeoxIT® Shield



Contact/Connector Sealant & Protectant for Severe Environments!

- + Maintains connection integrity
- + Superior lubrication and protection in harsh environments (humidity, salts, pollutants, sulfur, etc.)
- + Prevents data errors, lockups, and intermittents
- + Reduces arcing, RFI, wear, and abrasion
- + Prevents oxidation and corrosion

DeoxIT® Shield S-Series is recommended for newly manufactured components, or those pre-treated with **DeoxIT® D-Series** contact treatment.

- **Temperature* Range:** -34°C to +210° C

* **NOTE:** Temperature ranges may vary depending on conditions. On critical applications, independent testing is highly recommended.

● DeoxIT® Fader



Lubricates & Protects Conductive Plastic Faders & Controls

- + Lubricates faders, switches, potentiometers & other mechanisms with sliding surfaces
- + Maintains optimum signal quality
- + Reduces wear & abrasion
- + Improves/Maintains damping & tactile feel

- Ideal for audio mixing console faders and slide pots!

DeoxIT® Fader F-Series, is also effective on conductive membrane switches and components. Oil, grease, and acids build up on membrane surfaces due to repeated finger contact, leading to device malfunction. These contaminants are displaced above the **DeoxIT® Fader** layer preventing contact with the plastic membrane. Applying **DeoxIT® Fader** provides improved performance and long-lasting protection.

- **Temperature* Range:** -26°C to +150° C

• **DeoxIT® Grease - Type L260/L260D, SM22/SM22D**

Treatment for Mechanical and Electrical Parts & Equipment

DeoxIT® Grease, Type L260:

Lithium-based preparation.

NEW! DeoxIT® Grease, Type L260D:

Lithium-based *infused* with DeoxIT® Dx100L.

NEW! DeoxIT® Grease, Type SM22:

Lithium-based preparation with molybdenum disulfide. High stress/High loads/Low wash out.

NEW! DeoxIT® Grease, Type SM22D:

Lithium-based *infused* with DeoxIT® Dx100L and molybdenum disulfide. High stress/High loads/Low wash out.

Np Series: No particles.

Cp Series: Copper (conductive) particles.

Ap Series: Aluminum (conductive) particles.

Gp Series: Graphite particles.

Qp Series: Quartz (Non conductive) particles.

GQp Series: Graphite/Quartz (non conductive) particles.

Manufactured in semi-solid form for use as a combination cleaning, deoxidizing, protecting and lubricating preparation. Greases protect against oxidation (galvanic corrosion) and are free of mineral acids, sulphurs, alkalis and other noxious components aggressive to metals. DeoxIT® Greases improve performance of electrical contacts and mechanical components that require precise lubrication.

* **NOTE:** Temperature ranges may vary depending on conditions. On critical applications, independent testing is highly recommended.



SEE Test Results

caig.com/articles-reports/

NEW DeoxIT® Grease L260D/SM22D Series: The infusion of DeoxIT® D-Series Dx100L into the formulation provides an additional film on the metal surface to dissolve corrosion, improve conductivity and provide a moveable/flexible protective barrier. This is important when and if the grease is disturbed and separates from the metal surface. When the grease is first applied, the infused DeoxIT® Dx100L transfers to the metal and coats the entire surface; sealing and protecting the metal even if the grease is separated from the surface (vibration or mechanical movement). **No other grease does this!**

• **Temperature* Range:** -40°C to +260° C

● DeoxIT® L27 Marine Grease & Products Mechanical and Electrical Grease

Grease for High Moisture & Salt Environments

WHY Another Marine Grease?

Marine greases currently do a good job lubricating and protecting mechanical devices and equipment. However, they do not address a common issue that effects all metals, existing oxidation/corrosion on the surfaces. CAIG's DeoxIT® L27 Greases contain *special additives which remove and displace most surface oxidation and corrosion on metals* (no other products do this) while providing excellent lubrication and protection. Manufactured in semi-solid form for use as a combination cleaning, deoxidizing, protecting and lubricating preparation. Greases protect against oxidation (galvanic corrosion) and are free of mineral acids, sulphurs, alkalis and other noxious components aggressive to metals.

DeoxIT® L27-MM Mechanical Greases improve performance of mechanical components that require precise cleaning, lubrication & protection.

DeoxIT® L27-ME Electrical Greases improve performance of electrical contacts and connections subject to severe moisture, corrosion and contamination.

For severe oxidation and corrosion, quartz particles are available. Part Nos: L27-MM-Q and L27-ME-Q.

● **Temperature* Range:** -40°C to +260°C

* **NOTE:** Temperature ranges may vary depending on conditions. On critical applications, independent testing is highly recommended.



caig.com/articles-reports/



**MARINE
Glass/Plastic
& Screen
Cleaner**

MSC-504-16
MSC-504-128



**MARINE
Metal Cleaners
with & without
Scrubbing Particles**

CL-MCP-12 **NEW!**
CL-MSP-12 **NEW!**

• **HAND-E-GLOVE® & HAND-E-SCRUB™**

Clean, Protect & Shield Your Hands



A Unique Hand Lotion that Creates an Invisible Glove

**Protects and Shields Your Hands from
Dirt, Oil, Grease, Chemicals and
Harsh Contaminants While You Work**

+ Conditions + Moisturizes + Non Greasy



AVOID THIS!



USE THIS!



*Simply apply
HAND-E-GLOVE®, and
your hands are protected,
It's that simple!*

- Moisturizes Skin
- Safe / Tested
- Non-Greasy
- Does Not Impair Grip



PART # EEP-102
(NSN 6850-01-645-1291)
Net Wt: 2.0 oz (59 mL)

PART # EEP-102-06
(NSN 6850-01-645-1293)
Net Wt: 6.0 oz (177 mL)

PART # EEP-102-16
(NSN 6850-01-645-1293)
Net Wt: 16.0 oz (472 mL)

PART # EEP-102-128
(NSN 6850-01-645-1208)
Net Wt: 1 Gallon



PART # HES-103-2
Net Wt: 2.0 oz (59 mL)

PART # HES-103-16
Net Wt: 16.0 oz (472 mL)

PART # HES-103-128
Net Wt: 1 Gallon

Use at

- Home and Work:**
- + Tile Work
 - + Gardening
 - + Mechanics
 - + Motor Sports
 - + Cleaning Solutions
 - + Electronics
 - + Hobbies & Crafts
 - + Abrasives
 - + Painting
 - + Grease and Oils
 - + Anti-Static

• CAIG Professional Washes, Cleaners & Lubes

Contact Cleaner
Spray WASH

Heavy Duty Cleaner
Spray WASH

Flux
Spray WASH

DustALL™ Spray

Shredder Oil

**Whiteboard
Dry Erase
Cleaner/Protectant**



Part No.:
DCC-V511
(156 g)



Part No.:
DDW-V611
(156 g)



Part No.:
DFW-V711
(156 g)

Part Nos.:
CCS-2000
(10 oz)
CCS-2005
(4.5 oz)



Part No.:
CL-PSL-8
(236 mL)



Part No.:
CL-WBC-8
(236 mL)

**NEW &
IMPROVED**



CaiKleen™ RBR
Rubber Cleaner/Rejuvenator

DeoxIT® Lube
Precision Instrument Oil

MechanicALL™
High Penetrating Lubricant

DeoxIT® Metal Cleaners
with & without Scrubbing Particles



Part Nos.:
RBR100L-25C, RBR100L-12



Part Nos.:
X10S-P (oil), X10S-25C, X10S-32



Part Nos.:
M100L-32, M100L-25C



Part Nos.:
CL-MCP-12, CL-MSP-12

• Other CAIG Professional Products



Vinyl Record Cleaning Solution **NEW &**
DISC & SCREEN Cleaning Solution **IMPROVED**

Part No.: CL-VRC-08 (236 mL) Part No.: CL-DSC-08 (236 mL)
 Part No.: CL-VRC-32 (944 mL) Part No.: CL-DSC-32 (944 mL)

Equipment Cleaning Solutions & Kits

Part No.: CL-ECP-02 (59 mL)
 Part No.: CL-ECP-08 (236 mL)



**DeoxIT® Gold Vacuum
 Tube Survival Kit**
 Part No. SK-GXMD



DeoxIT® AxeWipes
 Get better sound quality
 from ALL your metal strings



Part No.: AX1W-20

Part No.: AX30W (30 wipes) Individual Wipes (20 wipes)

Screen Cleaners

Part No.:
 CCS-502
 (2 oz)

Part No.:
 CCS-503
 (22 oz)

Part No.:
 CCS-503-1G
 (1 Gal.)

**NEW &
 IMPROVED**



● Retail Products - Standard/Custom



DeoIT® SURVIVAL KITS
Part Nos: SK-AV35 and SK-IN30



Part No.: DN55-2N



Part No.: DGN55-2N



Part No.: K-DG100L-2DB

Retail POP Connector Cleaning, Sampler Kits & Custom Kits



Cell Phone Cleaner:
Part No. D100L-CPK



Battery Cleaning Kit:
Part No. D100L-B2C



DeoIT® Mini-Brush:
Part No. D100L-16BX



DeoIT® Sampler Kit: Part No. K-2C

● CAIG Professional Accessory Products



**Lint-Free
Cotton Cloth**
Part No. LFC-C



**Lint-Free
Polypropylene Cloth**
Part No. LFC-P



**Lint-Free
MicroFiber Cloth**
Part No. MFC-OG-10G



**Lint-Free
Equipment Dusting Brush**
Part No. B-GHS-M




Lint-Free Foam Swab
Part No. SWP
(1/4 x 3/4 x 4-1/2")



Lint-Free Foam Swab
Part No. SWPX
(1/8 x 1/2 x 2-3/4")



Micro Pointer Swab
Part No. SWPP
(1 mm to 2 mm Head)



Fiber Optic Swabs
Part No. PCS-125-20
Cleaning surface 1.25 mm x 15 mm (134 mm Long)
Part No. PCS-250-20
Cleaning surface 2.5 mm x 15 mm (134 mm Long)



Brush, Stainless-Steel
Part No. B-SS116
(1/16" dia., 4" length)



Brush, Nylon
Part No. AB
(3-6 mm x 20 mm length)

**Retail Packaging
for Accessories
and Most Products!**



• Other CAIG Professional Products

CAIG Brand Rosin Soldering Flux
Standard RSF-R80 and NO-CLEAN RSF-R39

NEW!
NO-CLEAN



The RMA paste flux meets DOD-STD-2000 & also the IPC-J-004 standard for type ROLO, the lowest residue corrosivity category.

RSF-R80 Part Nos.:
RSF-R80-2 (56 g),
RSF-R80-8 (226 g),
RSF-R80-8G (syringe)
RSF-R80-3KG (3.6 Kg)

RSF-R39 Part Nos.:
RSF-R39-2 (56 g),
RSF-R39-8 (226 g),
RSF-R39-8G (syringe)
RSF-R39-3KG (3.6 Kg)

CAIG Brand
Tip Tinner/Cleaner



Part No.: TPC-14 (14.2 g)



CircuitWriter™
Conductive Silver Coating
(for rubber, epoxy, glass, plastic)



Part Nos.: CW100P (precision pen)
CW100L-4 (125 g), CW100L-32 (1000 g)

CircuitSealer™
Conformal Coating
(for epoxy, glass, plastic)



Part Nos.: CS100P (precision pen),
CS100L-12 (354 mL)

Heat Sink Compounds
Silicone (Silver and Ceramic Available)



Part No.: HSC67-6G (6 g)

CaiKote™ 44
Conductive Silver/Carbon Coating
(for rubber, epoxy, glass, plastic)



Part Nos.: K-CK44-G (1 g)
CK44-8 (226 g)

• Other CAIG Professional Products

DeoxIT® Heavy-Duty Battery Cleaner & Protectant



Part No.:
CL-BCP-04
(115 g)

Part No.:
K-F079

Fiber Optic Cleaning Kits & Accessories



Part No.:
SK-LT19

Laptop / Tablet Cleaning Kit



Fiber Optic Fluid



Part No.:
FCF100PS-2
(59 mL)

Part No.:
FCF100PS-4
(118 mL)

CAIG Perfect-Straw™ FLEX-TIP™



Part No.: CL-EXT-PS2

Make the FLEX-TIP™
Short or Long!

Perfect-Straw™ Cap with Tips



Part No.: PS-SS45T

Part No.: PS-P180T

• Variety of Applicators for All Industries



Audio/Video



Computers



Automotive



Communications



Marine



Electrical



Energy



Photography



Security



Medical



Avionics



Spray Mini-spray Needle Pen Tube Brush Brush (mini) Wipes Jar Tube Cartridge Bulk

(Applicators not to scale)

• **What the Industry Experts Say!**

PROFESSIONAL EXPECTATIONS EXCEEDED WITH DeoxIT®

I just built a recording rack for Paul McCartney and it had a problem at the time of the first show. I had tested the system before it left the shop, and the two Tascam MX-2424's, a Berhinger DDX-3612, a Rosendahl Time word clock generator, and 72 Glyph Hard Drives all worked at the shop. Two hours before the show, I found myself trying to get the system up and going.

One of the Tascam units had stopped working, and I could not understand why! I was in panic. It was a sold out show, and people started getting seated. The unit had a flash memory card in it, and I figured that since it was locking up on start, there had to be a problem with the card. It was not loading the data, so I used some DeoxIT® D-Series contact cleaner on the contacts, wiped it off, then use the DeoxIT® Gold solution. I then tried it again, and IT WORKED! The memory was reloaded, and the show was recorded as planned.

I am an avid DeoxIT® customer and always will be. I use it along with the DeoxIT® Gold and DeoxIT® Fader (FaderLube) on controls and switches on outboard gear, as well as audio consoles worth well over \$250,000. I will always use DeoxIT®, and now our whole company uses it as well. We use it for tours like the Rolling Stones, Paul McCartney, Incubus, and AC/DC, to name a few. We also use it on the equipment for theater shows like Riverdance and Barney.

DeoxIT® can be trusted around the world, and let me tell you it is! Thanks CAIG for such a great product. You saved us more than once!

D. Ranshaw, Service Manager, db Sound

SUPPLIER CLEANING ISSUE SOLVED with DeoxIT®!

We identified that we were having significant supplier cleaning issues on many of our component interconnects that were leading to higher rates of failures for our customers in some cases. An investigation was launched to improve the quality of our interconnects. We performed environment testing, system testing, and field testing on our most problematic systems. We determined that applying the DeoxIT® D-Series dramatically improved the performance and reliability of our interconnects on our servers. The two year investigation included a full blown qualification of the DeoxIT® D-Series product on

our assemblies, memory dimms, and memory connectors and the results passed all of our testing with flying colors!

The CAIG Team has and continues to be a tremendous asset, working with our team to develop tools and a process of implementing the cleaning process to our manufacturing facilities worldwide. It has been very clear that CAIG has our customers and our companies best interest in mind in creating a method of improving the reliability of our products in a very cost effective manner. Personally, their customer service and technical expertise is second to none – it continues to be a pleasure working with them!

Chuck C. - Master Quality Engineer, HPE Servers

"CONTACT CLEANERS KEEP TRYING"

Recently, a rep from another chemical company sent me a sample can of their new contact cleaner, promising to "blow away DeoxIT® D5, at a cheaper price". I moistened a swab with THEIR cleaner, and took it to one-half of the dirty edge connector pads on a nasty looking PCB. It barely touched it. I repeated the process with DeoxIT® D5. It removed the oxidation immediately and the device has worked perfectly ever since.

John R. Frondelli, Tech Services Director, dBm Services

"FOR SERVICING OF ELECTRONICS THESE PRODUCTS ARE INDISPENSABLE."

I have used CAIG products over the last 30 some years. DeoxIT® D5 Contact Cleaner, DeoxIT® F5 Fader, and DeoxIT® Gold Pro Gx3 are all indispensable when servicing older units with dirty or intermittent mechanical switches and controls. DeoxIT® Gold Pro Gx3 is the only solution for cleaning dirty tube pins that I have found and it will not turn to gunk under the high temperature of the vacuum tube pins. For servicing of electronics these products are indispensable.

...Thanks, CAIG Labs!

Ron Cornelius, McIntosh Labs

• Our Customers are Our Best Advocates!

Bose Corporation

DeoxIT® D-Series is an excellent product for removing oxidation and contamination from dirty switches & controls and reducing intermittent contact problems. We have been using CAIG products with great success for over 45 years.

Diebold, Incorporated

We have been using CAIG products since 1980 on our automated teller machines to help ensure reliable performance.

General Electric

We were having trouble with edge connectors in our manufacturing environment until we tried DeoxIT® Gold Wipes great product.

Honeywell Inc.

CAIG's DeoxIT® D-Series is great stuff. We use it on feedback slidewires, edge connectors, & relay contacts in industrial process controls.

Rane Corporation (InMusic Brand)

People call me daily asking for recommendations for cleaners and lubricants. Most everyone has tried something less than DeoxIT®, and after using what we authorize, the results are always positive, sometimes bordering on miraculous.

Tektronix

We use DeoxIT® Gold Wipes to protect virgin edge connectors, DeoxIT® D-Series contact cleaner to eliminate intermittent problems on primitive tin-to-tin connectors (which tend to vibrate) and will be using DeoxIT® Gold in the field for gold connectors excellent products.

Xerox Corporation

Corrosion problems on very sensitive connectors have been an annoying problem for us. We have tried many products without success until we tried CAIG's DeoxIT® D-Series and DeoxIT® Gold. They are the only products that have worked perfectly. We highly recommend them.

American Airlines	General Atomics	McIntosh Labs
Amtrak	Google	Medtronics
Black & Decker	Harley Davidson	Microsoft
BMW	Harman Int'l	NASA
Boeing	HP / HPE	Northrop Grumman
Bombardier	Honda	Peavey Electronics
Bose	Honeywell	Philips Medical
Caterpillar	IBM	Pratt & Whitney
Crown Lift Trucks	IDI Interconnect	Raytheon
Daktronics	Ingersoll Rand	Roland
Defense General	InMusic Brand	Schindler Elevator
Delta Airlines	Intel	Switchcraft
Diebold	Inventec Corp.	Tektronics
Emerson Electric	Jet Propulsion Labs	Tyco Electronics
FAA	John Deere	Union Pacific Railroad
Federal Express	Johnson Controls	UPS
Ford	L-3 Communications	Xerox
Foxconn	Logitech	Zero Motorcycles
General Dynamics	Makita Tools	And thousands more



CAIG Laboratories, Inc.

12200 Thatcher Court, Poway, CA 92064 U.S.A.

P: 800/224-4123, 858/486-8388

W: www.caig.com | **E:** info@caig.com

CAIG Bulletin: CEG-22008

Link: caig.com/help-learn/