

AMP | LEAVYSEAL

TE Internal #: 2112045-2

Other Automotive Connector Accessories, Mounting Clip, PBT GF,

Yellow, -40 - 140 °C [-40 - 284 °F], LEAVYSEAL

View on TE.com >



Connectors > Automotive Connectors > Automotive Connector Accessories > Other Automotive Connector Accessories > LEAVYSEAL Locking Slides











Automotive Connector Accessory Type: Mounting Clip

Primary Product Material: PBT GF
Primary Product Color: Yellow

Operating Temperature Range: -40 - 140 °C [-40 - 284 °F]

All LEAVYSEAL Locking Slides (7)

Features

Product Type Features

Automotive Connector Accessory Type	Mounting Clip
Body Features	
Primary Product Material	PBT GF
Primary Product Color	Yellow
Usage Conditions	
Compatible With Connector Style	Housing For Male Terminals
Operating Temperature Range	-40 - 140 °C[-40 - 284 °F]
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	750
Packaging Method	Box
Ouls are	



Serviceable Yes

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | LEAVYSEAL





Automotive Connector Caps & Covers (17)



Automotive Housings(73)



Insertion & Extraction Tools(5)



Other Automotive Connector Accessories(15)



PCB Headers & Receptacles(16)

Customers Also Bought



TE Part #2112166-3 SLIDE,FOR 21POS.



TE Part #2302494-3 SOC CONN CVRASSY,2POS, AMPSEAL16,90DEG,MC



TE Part #1823444-1 ADAPTER,FOR A-PILLAR,ASSY



TE Part #1-2236046-0 32W, MIXED, MALE CONN.,CLIP2, COD A, CPA



TE Part #1-2301519-5 4POS, MCON 1.2 LL TAB SEALED 2ROW



TE Part #3-1904131-3 V23134A4052X549-EV-CBOX



TE Part #9-2370714-1 CU ALLOY,SHIELD ASSY,CONN HSG, DATA DT

TE Part #825-066-101 405mm AM/ FM/ DAB ANTENNA ROD

TE Part #87805-000 PSS-X1379B WITH BRACKET TE Part #10218545-00 PSS-X1541A, VANE SENSOR

Documents



Product Drawings

SLIDE, FOR 26POS TAB HSG

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2112045-2_A_c-2112045-2-a.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2112045-2_A_c-2112045-2-a.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2112045-2_A_c-2112045-2-a.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

German