

# Data sheet

## 17268.2 ADH 70 BG



Cover profile, Length: 86.8 mm, Width: 31.9 mm, Colour: Beige

### Business data

|  |               |
|--|---------------|
| Article number                             | 17268.2       |
| Article name                               | ADH 70 BG     |
| GTIN (EAN)                                 | 4044211186876 |
| Packaging unit                             | 10            |
| Quantity unit                              | PC            |
| Weight per piece (not including packaging) | 10 g          |
| Weight per piece (including packaging)     | 10.4 g        |
| Unit of weight                             | G             |
| Customs number                             | 85389099      |
| Country of origin                          | DE            |
| Prio-Article                               | 17268.8       |
| Product description                        | Cover profile |

---

### Technical data

---

#### Dimensions

|        |         |
|--------|---------|
| Length | 86.8 mm |
| Width  | 31.9 mm |
| Height | 33.7 mm |

#### Materials

|                           |               |
|---------------------------|---------------|
| Material                  | Polyamide 6.6 |
| Flammability class UL 94  | V-0           |
| Working temperature, min. | -40 °C        |
| Working temperature, max. | 120 °C        |

#### Environmental Product Compliance

|                                |     |
|--------------------------------|-----|
| REACH Conform                  | Yes |
| REACH Candidate Substance Note | No  |
| RoHS Conform                   | Yes |

---

### Media

---

---

### Accessories

---

#### ##INVERSE##CONTA-CONNECT

---



High-power stud terminal, Stud connection, Mounting type: Mounting rail TS 35/7.5,  
Rated cross-section: 70 mm<sup>2</sup>, Width: 32 mm, Colour: Beige

| Article number          | Article name      | GTIN (EAN)    | Packaging unit |
|-------------------------|-------------------|---------------|----------------|
| <a href="#">17035.2</a> | HSKG 70/M8/B/B BG | 4044211186593 | 10 ST          |

---