

28138.6 PVC-TAP 15X17 GR

Device and installation marker, Length: 17 mm, Width: 15 mm, Colour: grey

RAL: Ähnlich 7035

Business data

Article number	<u>28138.6</u>
Article name	PVC-TAP 15X17 GR
GTIN (EAN)	4044211213862
Packaging unit	420
Quantity unit	PC
Number of markers per card	42 ST
Weight per piece (not including packaging)	0.32 g
Weight per piece (including packaging)	0.32 g
Unit of weight	G
Customs number	39204910
Country of origin	IT
Prio-Article	28138.7
Product description	Device and installation marker

28138.6 PVC-TAP 15X17 GR

Technical data

Dimensions

Length	17 mm
Width	15 mm

Materials

Marker material	PVC
Flammability class UL 94	V-0
Working temperature, min.	-30 °C
Working temperature, max.	60 °C
Silicone-free	✓

Further technical data

Mounting	GSU-H 17x15 BK, PS 15 Profil
Software code	165

Environmental Product Compliance

REACH Conform	Yes
REACH Candidate Substance Note	No
RoHS Conform	Yes

Media

28138.6 PVC-TAP 15X17 GR

Accessories

Printer



Thermal transfer printer TTPCard including a power cord, USB cable, dust cover, black thermal transfer film (28010.4), three inlays: CCI-PC-SB 5x5 (28020.0), CCI-PC-CPM-10/BSTR (28027.0), CCI-PC/PVC/PVCF (28041.0), CONTASign PRO software in 16 languages (German, English, French, Italian, Dutch, Spanish, Portuguese, Czech, Polish, Bulgarian, Romanian, Slovenian, Turkish, Chinese, Japanese, Russian) for Windows versions 7, 8, 10. (available for download)

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28000.0</u>	TTPCard Set	4044211207397	1 ST

Inlays

Printer inlay

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28041.0</u>	CCI-PC/PVC/PVCF	4044211208097	1 ST