

Timer Connector System TE Internal #: 1-963215-1 PCB Mount Header, Horizontal, Wire-to-Board, 16 Position, 5 mm [. 197 in] Centerline, Fully Shrouded, Tin, Timer Connector System View on TE.com >



Connectors > PCB Connectors > PCB Headers & Receptacles > Low & Medium Power Header



Connector System: Wire-to-Board

Number of Positions: 16

Centerline (Pitch): 5 mm [.197 in ]

Sealable: No

PCB Mount Orientation: Horizontal

All Low & Medium Power Header (169)

### Features

#### Product Type Features

 Hybrid Header
 Yes

 Connector Shape
 Rectangular

PCB Connector Assembly Type	PCB Mount Header		
Header Type	Fully Shrouded		
Connector System	Wire-to-Board		
Sealable	No		
Connector & Contact Terminates To	Printed Circuit Board		
Configuration Features			
Number of Sections	1		
Number of Signal Positions	34		
Number of Positions	16		
PCB Mount Orientation	Horizontal		
Number of Rows	2		
Body Features			
Primary Product Color	Black		
Connector & Keying Code	A1		
Contact Features			

PCB Mount Header, Horizontal, Wire-to-Board, 16 Position, 5 mm [.197 in] Centerline, Fully Shrouded, Tin, Timer Connector System



Contact Size	3mm		
Contact Type	Tab		
Mating Tab Width	3 mm[.118 in]		
Mating Tab Thickness	.8 mm[.031 in]		
Contact Mating Area Plating Material	Tin		
Termination Features			
Termination Method to Printed Circuit Board	Through Hole - Solder		
Mechanical Attachment			
Mounting Holes	With		
Mating Retention	With		
Mating Alignment	With		
PCB Mount Alignment	Without		
PCB Mount Retention	With		
PCB Mount Retention Type	Mounting Hole		
Mating Retention Type	Locking Interface		
Housing Features			

Centerline (Pitch)

5 mm[.197 in]

## Dimensions

Connector Length	34.6 mm[1.349 in]
Operation/Application	
Shielded	No
Circuit Application	Signal
Packaging Features	
Packaging Type	Tray
Packaging Quantity	32
Product Compliance	
For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	

PCB Mount Header, Horizontal, Wire-to-Board, 16 Position, 5 mm [.197 in] Centerline, Fully Shrouded, Tin, Timer Connector System



Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Halogen Content

#### Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

## **Compatible Parts**







## Also in the Series | Timer Connector System



PCB Mount Header, Horizontal, Wire-to-Board, 16 Position, 5 mm [.197 in] Centerline, Fully Shrouded, Tin, Timer Connector System







## Customers Also Bought



TE Part #2-1623783-1 SQM7 100K 5% (METAL FILM)	TE Part #1676323-2 RN 0805 3K09 0.1% 10PPM 1KRL	TE Part #1676313-2 RN 0805 35K7 0.1% 10PPM 1KRL	TE Part #1676374-2 RN 0805 54K9 0.1% 10PPM 1KRL
TE TE			
TE Part #1676438-2 RN 0805 7K68 0.1% 10PPM 1KRL	TE Part #2-963211-1 6P STIFTWANNE 3MM	TE Part #5788336-2 STD USB TYPE B, VERTICAL, T/H, 15U" AU	TE Part #1801210-1 32 WAY CMC HEADER ASSEMBLY

TE Part #1-2005513-2 ECU 196P HDR ASSY- ISUZU EXP

Documents

PCB Mount Header, Horizontal, Wire-to-Board, 16 Position, 5 mm [.197 in] Centerline, Fully Shrouded, Tin, Timer Connector System



# Product Drawings

16P STIFTWANNE 3MM

English

CAD Files

Customer View Model

ENG\_CVM\_1-963215-1\_B3.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_1-963215-1\_B3.3d\_stp.zip

English

Customer View Model

ENG\_CVM\_1-963215-1\_B3.2d\_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Agency Approvals UL Report

English