Seperator plate; 2 mm thick; oversized; gray

www.wago.com/2006-1393



Color:

Data

Physical data

Width 2 mm / 0.079 inches

Height 72.5 mm / 2.854 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/2006-1393



Depth 35.1 mm / 1.382 inches

Mechanical Data

Mounting type snap-on type

Material Data

Note (material data)

Information on material specifications can be found here

| Color | gray |
|-----------------------------|------------------|
| Material group | 1 |
| Insulation material | Polyamide (PA66) |
| Flammability class per UL94 | V0 |
| Fire load | 0.125 MJ |
| Weight | 3.2 g |

Commercial data

| Product Group | 22 (TOPJOB S) |
|-----------------------|---------------|
| eCl@ss 10.0 | 27-14-11-33 |
| eCl@ss 9.0 | 27-14-11-33 |
| ETIM 8.0 | EC000886 |
| ETIM 7.0 | EC000886 |
| PU (SPU) | 100 (25) pcs |
| Packaging type | box |
| Country of origin | DE |
| GTIN | 4045454654269 |
| Customs tariff number | 85389099990 |
| | |

Environmental Product Compliance

RoHS Compliance Status Compliant,No Exemption

Approvals / Certificates

Declarations of conformity and manufacturer's declarations

| | | | Certificate |
|------|--------------------|--------------------------|-------------|
| Logo | Approval | Additional Approval Text | name |
| | Railway | - | Railway |
| | WAGO GmbH & Co. KG | | Ready |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Required accessories

End plate

| Through terminal block | | |
|--|---------------------|----------------------------------|
| Item no.: 2006-1302 | | (2222.42 |
| 3-conductor through terminal block; 6 mm²; suitable for Ex e II applications; side a for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm²; orange | and center marking; | www.wago.com/2006-13 |
| Item no.: 2006-1304 | | |
| 3-conductor through terminal block; 6 mm²; for Ex e II and Ex i applications; side a for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP $^{\circ}$; 6,00 mm²; blue | nd center marking; | www.wago.com/2006-13 |
| Item no.: 2006-1301 | | |
| 3-conductor through terminal block; 6 mm²; suitable for Ex e II applications; side a for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm²; gray | and center marking; | www.wago.com/2006-13 |
| Item no.: 2206-1301 | | |
| 3-conductor through terminal block; with push-button; 6 mm 2 ; with test port; side for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP $^\circ$; 6,00 mm 2 ; gray | and center marking; | www.wago.com/2206-13 |
| Item no.: 2206-1304 | | |
| 3-conductor through terminal block; with push-button; 6 mm²; with test port; suita applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CA mm²; blue | | www.wago.com/2206-13 |
| Item no.: 2006-1305 | | |
| 3-conductor through terminal block; 6 mm²; suitable for Ex e II applications; side a for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm²; black | and center marking; | www.wago.com/2006-13 |
| Item no.: 2006-1301/000-001 | | |
| 3-conductor through terminal block; 6 mm²; suitable for Ex e II applications; side a for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP $^\circ$; 6,00 mm²; green | and center marking; | www.wago.com/2006-13 /000-001 |
| Item no.: 2006-1306 | | |
| 3-conductor through terminal block; 6 mm 2 ; suitable for Ex e II applications; side a for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP $^\circ$; 6,00 mm 2 ; yellow | and center marking; | www.wago.com/2006-13 |
| Item no.: 2006-1301/000-014 | | |
| 3-conductor through terminal block; 6 mm 2 ; suitable for Ex e II applications; side a for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP $^\circ$; 6,00 mm 2 ; brown | and center marking; | www.wago.com/2006-13 /000-014 |
| Item no.: 2206-1305 | | |
| 3-conductor through terminal block; with push-button; 6 mm 2 ; with test port; suita applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CA mm 2 ; black | | www.wago.com/2206-13 |
| Item no.: 2006-1303 | | |
| 3-conductor through terminal block; 6 mm 2 ; suitable for Ex e II applications; side a for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP $^\circ$; 6,00 mm 2 ; red | and center marking; | www.wago.com/2006-13 |
| Item no.: 2206-1303 | | |
| 3-conductor through terminal block; with push-button; 6 mm 2 ; with test port; suita applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CA mm 2 ; red | | www.wago.com/2206-13 |

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/2006-1393



Item no.: 2006-1307

3-conductor ground terminal block; 6 mm^2 ; suitable for Ex e II applications; side and center marking; for Www.wago.com/2006-1307 DIN-rail 35×15 and 35×7.5 ; Push-in CAGE CLAMP®; $6,00 \text{ mm}^2$; green-yellow

Item no.: 2206-1307

3-conductor ground terminal block; with push-button; 6 mm²; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm²; green-yellow

www.wago.com/2206-1307

Downloads

Documentation

Bid Text

| 2006-1393 X81 - Datei | 2019 年2月19日 | xml 2.6 kB | Download |
|--------------------------|-------------|----------------|----------|
| 2006-1393 doc - Datei | 2017 年4月28日 | doc 24.1 kB | Download |
| Additional Information | | pdf 2.3 MB | Download |

CAD/CAE-Data

2D/3D Models 2006-1393

CAD data

| CAE data | | |
|-----------------------------|-----|----------|
| EPLAN Data Portal 2006-1393 | URL | Download |
| WSCAD Universe 2006-1393 | URL | Download |
| ZUKEN Portal 2006-1393 | URL | Download |

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2006-1393

Seperator plate; 2 mm thick; oversized; gray

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Download

URL

www.wago.com/2006-1393



Installation Notes

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

Show all products from the family

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.