


т	۵	п	m	0







LAYOUT SHOWN AS

Keying Shown as example

CHARACTERISTICS

ယ

 \sim

-Mass

BASIC SERIES:

SHELL SIZE : 11

Н

SHELL TYPE : Square Flange Receptacle

CONTACT TYPE : Standard Crimp Contact

PLATING : J = Olive drab Cadmium

-Standard : Based on MIL-DTL-38999 Series III

-Shell Material	: Composite	
-Shell Plating	: Olive drab Cadmium	
-Insulator	: Thermoplastic	
-Contacts	: Copper Alloy	
-Seals & Grommet	: Silicon Elastomer	
-Contact Plating	: Gold over copper Alloy $0.8 \mu m$ minimum	
-Durability	: 500 Mating cycles	
-Delivered with Souriau contacts and Accessories		
-Temperature Range	: -65°C to +175°C	
-Salt Spray	: 2000 hours	

: 10.4 g ± 10%

8D 0

G

11

J

01

А


F

Е

Connector dimension				
Dim	Nominal			
Р	3.25±0.2			
PP	4.93±0.2			
R1	20.62			
R2	18.26			
S	26.2±0.3			
V'	19.5+1.4/-0			
W'	2.1/3.65			
Ζ'	32 Max			
VV THREAD	M15x1-6g			

Е

SOURIAU shall not be liable for due to a use of the Products the Specifications issued by either (professional recommend



	4			
	3			
S EXAMPLE				
any non-conformity or damage which does not comply with of the Parties or by a third party adation, technical notice.)				
Intry Jurisdiction & Control List R Not Listed	2			
LJO1AE				
MOD N°				
CUSTOMER DRAWING				
e Receptacle 8D series				
NPRDS / PROJECT 859				
.COM This document is the property of SOURIAU it must not be reproduced or communicated without permission				
	1			
UDRG N° SHEET				
UDRG N° SHEET LJ01AE-C 1/2 B A				

		G	гт –	m		0
		Contact Layout				Panel Cutout
4		01			Â	SQUARE FLANGE RECEPTACLE (TYPE 0) REAR MOUNTING
		1#12 11-01]		τ <u>ε</u>	
ယ	Ctc A	X Y 0 0				Dim ØA ØAA R1 ØT
						SOURIAU shall not be liable for any due to a use of the Products whi the Specifications issued by either of (professional recommendati
N						Country FR PN: 8D011J
					A 14-10-20 ISS DATE Designed By:	16 First Release Latest modification - by Date:
<u> </u>					SCALE NA	General linear Tolerances: ±
					FORMAT A3	J WWW.SOURIAU.CO SOURIAU 8D011J0
	Н	G	F	E	D	C C

