

Description: 1608 5GHz Low Pass Filter

PART NUMBER: LPF1608LL01R5000A

Features:

Applications:

Compact size: 1.60x0.80x0.60mm

• WLAN,802.11b/g/n

· RoHS compliant

ELECTRICAL SPECIFICATIONS

DESCRIPTION	Value
Pass Band	4900-5950 MHz
Impedance	50Ω
Insertion Loss	0.7 dB (Max.) at 25°C
V.S.W.R / Return Loss	2.0 (Max) / 10dB (Min.)
Attenuation	20 dB Min@ 9800 MHz
	30 dB Min@ 11900MHz
Operating Temperature	-40 ~ +85℃

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:




Description: 1608 5GHz Low Pass Filter

PART NUMBER: LPF1608LL01R5000A


MECHANICAL DIMENSION

<u>Outline</u> <u>Termination</u> <u>Mechanical</u>



Dimension
1.60±0.15
0.80 ± 0.15
0.60 ± 0.15
0.80 ± 0.15
0.50 ± 0.15
0.80 ± 0.15
0.50 ± 0.15
0.35 ± 0.15
0.15±0.15

Reference design of EVB



In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: 1608 5GHz Low Pass Filter

PART NUMBER: LPF1608LL01R5000A

ELECTRICAL PERFORMANCES



- Measured on Agilent E5071C Network Analyzer
- Input port : Port 1 (Return loss : S11)
- Output port : Port 2 (Return loss : S33)
- Insertion loss : S31

Frequency Characteristics



Description: 1608 5GHz Low Pass Filter

PART NUMBER: LPF1608LL01R5000A

Revision Date Description

Version 1 Nov. 19, 2020 - New issue