#### STRATO-THERM

TE Internal #: 1577636-1

Ring Terminals & Spade Terminals, Ring Tongue, 18 – 16 AWG Wire Size, .823 – 1.31 mm<sup>2</sup> Wire Size, 1600 – 2800 CMA Wire Size,

STRATO-THERM

View on TE.com >



Terminals & Splices > Ring Terminals & Spade Terminals



Ring & Spade Terminal Type: Ring Tongue

Wire Size: 1600 – 2800 CMA

Stud Size: 3/8

## **Features**

## **Product Type Features**

Stud Size	3/8
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support

### **Contact Features**

Ring & Spade Terminal Type	Ring Tongue
Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Nickel

## Mechanical Attachment

## **Dimensions**

Wire Size	1600 – 2800 CMA
Stud Diameter	9.92 mm[.39 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	31.55 mm[1.242 in]
Compatible Insulation Diameter (Max)	2.67 mm[.106 in]
Compatible Insulation Diameter Range	1.4 – 2.67 mm[.055 – .106 in]

## **Usage Conditions**

Insulation Option	Partially Insulated
-------------------	---------------------



Operating Temperature Range	260 °C[500 °F]	
Industry Standards		
Government Qualified Terminal	No	
Packaging Features		
Packaging Quantity	500	

Bag/Box

## Product Compliance

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUN 2020 (209) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

## Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts

















## Also in the Series | STRATO-THERM



Ring Terminals & Spade Terminals(96)



# Customers Also Bought



TE Part #130552 TERM, RING, SOLIS, 6, M5



TE Part #323061 TERMINAL, SOLIS R HR 12-10 8



TE Part #5039264026 DR-25-3/8-0-SP



TE Part #ZPF00000000100562 992 B6 KA 28-12 PW 2





TE Part #ZPF00000000003362 66396-16



TE Part #9-1768398-1
TP-INAIRST-0.250-AW
TE Part #ZPF00000000017699
DVG 16R 12-3 SN-U138

## **Documents**

## **Product Drawings**

**TERMINAL RT PIDG PEEK STRATO 18-16 AWG** 

English

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_1577636-1\_B.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1577636-1\_B.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1577636-1\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## **Product Specifications**

**Application Specification** 

English

## **Product Environmental Compliance**

TE Material Declaration

English