

### **TECHNICAL DATA SHEET**

**Description**: Vehicular Multiband Antenna with

**Adhesive Mount** 

PART NUMBER: ARMXXXXXAM





## **Features:**

- Low profile, only 1.8" tall
- Up to 6-lead Configuration
  - LTE(2x) MIMO
  - WiFi(3x) MIMO-|2.4/5.x GHz
  - GPS/GNSS (1x)
- Frequency of Operation:
  - 698-960MHz,1710-2690MHz
  - 2400-2500MHz,5150-5925MHz
  - 1559-1606MHz

## **Applications:**

- Telematics, Navigation
- First Responders(Police, Fire, Ambulance/EMS)
- Energy, Utility, Construction
- Fleet Management
- DSRC(Dedicated Short Range Communications)
- Available Configurations:
  - · Black, White
  - Direct, Magnetic, Adhes. Mount

Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34<sup>th</sup> St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4<sup>th</sup> Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



### TECHNICAL DATA SHEET

**Description**: Vehicular Multiband Antenna with

Adhesive Mount

PART NUMBER: ARMXXXXXAM

## This document covers all product variants of the following product family

Product	Total Cable Leads	LTE Cable Leads	WiFi Cable Leads	GPS Cable Leads	Housing Color	Cable Length	Mounting
ARM62311AM	6	2 (with SMA Male)	3 (with RP-SMA Male)	1 (with SMA Male)	Black	17 FT or 5181mm	Adhesive Mount; 3M VHB4959 Thickness: 3mm
ARM62312AM	6	2 (with SMA Male)	3 (with RP-SMA Male)	1 (with SMA Male)	White		
ARM52211AM	5	2 (with SMA Male)	2 (with RP-SMA Male)	1 (with SMA Male)	Black		
ARM52212AM	5	2 (with SMA Male)	2 (with RP-SMA Male)	1 (with SMA Male)	White		
ARM42111AM	4	2 (with SMA Male)	1 (with RP-SMA Male)	1 (with SMA Male)	Black		
ARM42112AM	4	2 (with SMA Male)	1 (with RP-SMA Male)	1 (with SMA Male)	White		
ARM32011AM	3	2 (with SMA Male)	0	1 (with SMA Male)	Black		
ARM32012AM	3	2 (with SMA Male)	0	1 (with SMA Male)	White		
ARM21011AMTT	2	1 (with TNC Male)	0	1 (with TNC Male)	Black		

## **Product Numbering**

Vehicular Multiband Antenna with Direct Mount

(Part Number)











<b>(</b>	Product ID: ARMADILLO
<b>6</b>	Total Number of Cable leads
0	Total Number of LTE Cable Leads
0	Total Number of WiFi Cable Leads
6	Total Number of GPS Cable Leads
0	The Color of the Plastic Housing 1=Black; 2= White
•	Mounting: Adhesive Mount

Issue: 1901





Isolation\*

5150-5925MHz

698-960MHz, 1710-2690MHz

2400-2500MHz, 5150-5925MHz

### TECHNICAL DATA SHEET

**Description**: Vehicular Multiband Antenna with

-8dB -12dB

7.9dBi

Adhesive Mount

**ELECTRICAL SPECIFICATIONS** 

PART NUMBER: ARMXXXXXAM

Frequency	698-960MHz, 1710-2690MHz		
	2400-2500MHz, 5150-5925MHz		
Nominal Impedance	50 Ω		
VSWR*			
698-960MHz	<2.5		
1710-2690MHz	<2.5		
2400-2500MHz	<2		
5150-5925MHz	<2		
Isolation*			

Average Peak Gain**	
698-960MHz;	4.6dBi
1710-2690MHz	5.1dBi
2400-2500MHz	4.9dBi

Polarization Vertical

<sup>\*</sup>Test on 500mm ground plane with 17ft(5.2m) LMR195 cable

<sup>\*\*</sup>Test on 500mm ground plane with 1ft(304.8) LMR195 cable



#### **TECHNICAL DATA SHEET**

**Description**: Vehicular Multiband Antenna with

**Adhesive Mount** 

PART NUMBER: ARMXXXXXAM

## **ELECTRICAL SPECIFICATIONS**

**GPS Antenna** 

Frequency 1561.098±2.046MHz/

1575.42±1.023MHz/

1602.5625±4MHz

Nominal Impedance 50  $\Omega$ 

VSWR <2

Gain (Radiating Element) 1 dBic±1 dB

Gain (LNA Gain) 30 dB± 2 dB

Polarization RHCP

Out of Band Rejection

698 MHz >70 dB

960 MHz >65 dB

1710 MHz >60 dB

2170 MHz >65 dB

2400 MHz >65 dB

2700 MHz >65 dB

Noise Figure <2.4 dB

Operating Voltage 3.3 – 5 Vdc

Current Consumption <15mA





### **TECHNICAL DATA SHEET**

**Description**: Vehicular Multiband Antenna with

**Adhesive Mount** 

PART NUMBER: ARMXXXXXAM

## **MECHANICAL SPECIFICATIONS**

Overall Length 202.3mm X 88.5mm X 45mm

Weight 1 Kg

Antenna Color / Material

Connector type

Cable type

Cable length

Black or White

Refer to Page 2

Refer to Page 2

Refer to Page 2

## **ENVIRONMENTAL SPECIFICATIONS**

Operating Temperature  $-40 \sim +85^{\circ}$  C Storage Temperature  $-40 \sim +85^{\circ}$  C

Ingress Protection IP67
RoHS Compliant Yes

## **OTHER SPECIFICATIONS**

Total cable assembly loss for 5.2m (17') LMR-195 @850MHz	2.1dB
Total cable assembly loss for 5.2m (17') LMR-100 @1575MHz	5.9dB
Total cable assembly loss for 5.2m (17') LMR-195 @1930MHz	3.2dB
Total cable assembly loss for 5.2m (17') LMR-195 @2450MHz	3.6dB
Total cable assembly loss for 5.2m (17') LMR-195 @2500MHz	3.7dB
Total cable assembly loss for 5.2m (17') LMR-195 @5350MHz	5.5dB








### **TECHNICAL DATA SHEET**

**Description**: Vehicular Multiband Antenna with


**Adhesive Mount** 


PART NUMBER: ARMXXXXXAM

## **MECHANICAL DRAWING**









Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






### **TECHNICAL DATA SHEET**


**Description**: Vehicular Multiband Antenna with

**Adhesive Mount** 

PART NUMBER: ARMXXXXXAM

## **MECHANICAL DRAWING**





ARM62311AM		CABLE	CABLE LENGTH	CONNECTOR
1	LTE-1 Cable Assy	LMD 405*		CMAMAIA
2	LTE-2 Cable Assy	LMR-195*		SMA Male
3	WiFi-1 Cable Assy		5181 mm /	
4	WiFi-2 Cable Assy	LMR-195*	204" /	RP-SMA Male
5	WiFi-3 Cable Assy		17 FT	
6	GPS Cable Assy	LMR-100*		SMA Male

	ARM21011AMTT	CABLE	CABLE LENGTH	CONNECTOR
1	LTE-1 Cable Assy	LMR-195*		TNC Male
2				
			5181 mm /	
			204" /	
			17 FT	
6	GPS Cable Assy	LMR-100*		TNC Male

\* or equivalent

<sup>\*</sup> or equivalent



### **TECHNICAL DATA SHEET**


**Description**: Vehicular Multiband Antenna with

**Adhesive Mount** 

PART NUMBER: ARMXXXXXAM

## **TEST SETUP**

Antenna tested on a Φ500mm ground plane.





### **TECHNICAL DATA SHEET**


**Description**: Vehicular Multiband Antenna with

**Adhesive Mount** 


PART NUMBER: ARMXXXXXAM

## **CHARTS**

# VSWR (LTE)



# Isolation (LTE)



Note: Antenna tested with 5m cable on 500mm (dia) ground plane





### **TECHNICAL DATA SHEET**


**Description**: Vehicular Multiband Antenna with

**Adhesive Mount** 


PART NUMBER: ARMXXXXXAM

## **CHARTS**

# Radiation Efficiency (LTE)



## Peak Gain (LTE)



Note: Antenna tested with 1ft(304.8mm) cable on 500mm (dia) ground plane



ROHS

10



### **TECHNICAL DATA SHEET**


**Description**: Vehicular Multiband Antenna with

**Adhesive Mount** 


PART NUMBER: ARMXXXXXAM

### **CHARTS**

# VSWR (WIFI)



# Isolation (WIFI)



Note: Antenna tested with 5m cable on 500mm (dia) ground plane

Issue: 1901



### **TECHNICAL DATA SHEET**


**Description**: Vehicular Multiband Antenna with

**Adhesive Mount** 


PART NUMBER: ARMXXXXXAM

## **CHARTS**

# Radiation Efficiency (WIFI)



## Peak Gain (WIFI)



Note: Antenna tested with 1ft(304.8mm) cable on 500mm (dia) ground plane

Issue: 1901

ROHS




#### **TECHNICAL DATA SHEET**

**Description**: Vehicular Multiband Antenna with


**Adhesive Mount** 

PART NUMBER: ARMXXXXXAM

## **CHARTS**



## LTE1 XY plane radiation pattern



LTE2 XY plane radiation pattern






#### **TECHNICAL DATA SHEET**

**Description**: Vehicular Multiband Antenna with


**Adhesive Mount** 

PART NUMBER: ARMXXXXXAM

## **CHARTS**



# LTE1 ZX plane radiation pattern



LTE2 ZX plane radiation pattern




#### **TECHNICAL DATA SHEET**

**Description**: Vehicular Multiband Antenna with


**Adhesive Mount** 

PART NUMBER: ARMXXXXXAM

## **CHARTS**



## LTE1 YZ plane radiation pattern



LTE2 YZ plane radiation pattern








#### **TECHNICAL DATA SHEET**

**Description**: Vehicular Multiband Antenna with


**Adhesive Mount** 

PART NUMBER: ARMXXXXXAM

## **CHARTS**



# LTE1 XY plane radiation pattern



# LTE2 XY plane radiation pattern




#### **TECHNICAL DATA SHEET**

**Description**: Vehicular Multiband Antenna with


**Adhesive Mount** 

PART NUMBER: ARMXXXXXAM

## **CHARTS**



# LTE1 ZX plane radiation pattern



LTE2 ZX plane radiation pattern




#### **TECHNICAL DATA SHEET**

**Description**: Vehicular Multiband Antenna with


**Adhesive Mount** 

PART NUMBER: ARMXXXXXAM

## **CHARTS**



## LTE1 YZ plane radiation pattern



LTE2 YZ plane radiation pattern




### **TECHNICAL DATA SHEET**


**Description**: Vehicular Multiband Antenna with

**Adhesive Mount** 

PART NUMBER: ARMXXXXXAM


## **CHARTS**





# WiFi1 XY plane radiation pattern

# WiFi2 XY plane radiation pattern



WiFi3 XY plane radiation pattern




### **TECHNICAL DATA SHEET**

**Description**: Vehicular Multiband Antenna with

**Adhesive Mount** 


PART NUMBER: ARMXXXXXAM

## **CHARTS**



# WiFi1 ZX plane radiation pattern

# WiFi2 ZX plane radiation pattern



WiFi3 ZX plane radiation pattern








### **TECHNICAL DATA SHEET**


**Description**: Vehicular Multiband Antenna with

**Adhesive Mount** 

PART NUMBER: ARMXXXXXAM


## **CHARTS**





# WiFi1 YZ plane radiation pattern

# WiFi2 YZ plane radiation pattern



WiFi3 YZ plane radiation pattern




### **TECHNICAL DATA SHEET**


**Description**: Vehicular Multiband Antenna with

**Adhesive Mount** 

PART NUMBER: ARMXXXXXAM


## **CHARTS**





# WiFi1 XY plane radiation pattern

# WiFi2 XY plane radiation pattern



WiFi3 XY plane radiation pattern








### **TECHNICAL DATA SHEET**

**Description**: Vehicular Multiband Antenna with

**Adhesive Mount** 


PART NUMBER: ARMXXXXXAM

## **CHARTS**



# WiFi1 ZX plane radiation pattern

# WiFi2 ZX plane radiation pattern



WiFi3 ZX plane radiation pattern




### **TECHNICAL DATA SHEET**

**Description**: Vehicular Multiband Antenna with

**Adhesive Mount** 


PART NUMBER: ARMXXXXXAM

## **CHARTS**



# WiFi1 YZ plane radiation pattern

# WiFi2 YZ plane radiation pattern



WiFi3 YZ plane radiation pattern



### **TECHNICAL DATA SHEET**

**Description**: Vehicular Multiband Antenna with

**Adhesive Mount** 

PART NUMBER: ARMXXXXXAM

## **PACKAGING**

Each antennas packed in Bubble Bag

6 bags of antennas (Total 6pcs) packed in a cardboard box

1 label on each box with quantity, part number, date code.