



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers



Protection & Strain Relief Accessory Type: **Wire Dress Cover**

Primary Product Color: **Black**

Primary Product Material: **PBT**

Operating Temperature (Max): **125 °C [257 °F]**

Sealable: **Yes**

Features

Product Type Features

Protection & Strain Relief Accessory Type	Wire Dress Cover
Sealable	Yes

Body Features

Primary Product Color	Black
Primary Product Material	PBT

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]

Packaging Features

Packaging Quantity	1
Packaging Method	Package

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1924943-1
PLUG ASSY, 96P GPEC II KEY E RIGHT EXIT



TE Part # 1924939-1
PLUG ASSY, 96P GPEC II KEY A RIGHT EXIT



TE Part # 1924941-1
PLUG ASSY, 96P GPEC II KEY C RIGHT EXIT



TE Part # 2098866-1
PLUG ASSY, 96P GPECIII KEY H L



TE Part # 1924780-1
WIRE DRESS COVER, 96P GPEC II



TE Part # 1924781-1
LEVER, 96P GPEC II

Customers Also Bought



TE Part #705692-000
D-150-0178



TE Part #284716-4
Timer Connector Housing



TE Part #1924782-1
GET FEM TERM 1.2MM, TS, SNAG
1MMSQ



TE Part #1241605-1
MQS, RECEPTACLE AND TAB



TE Part #1-1703963-1
16POS,AMP MCP1.5K,REC HSG,ASSY,
SEALED



TE Part #650136-000
D-436-0096



TE Part #9-1563172-9
58POS, MIXED,REC HSG,ASSY



TE Part #1-1924067-6
2POS, MCON 1.2 CB REC 2p TL
SEALED

Documents

Product Drawings

WIRE DRESS ASSY, 96P GPEC II

English

CAD Files

Customer View Model

[ENG_CVM_1924779-1_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_1924779-1_B.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_1924779-1_B.2d_dxf.zip](#)

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Instruction Sheets

Instruction Sheet (U.S.)

English