


Subject to changes. Please also observe the further product documentation!



Item description

DIN-rail-mount PCB carrier, size 2 – mounting foot for DIN-35 rail

Data

Mechanical Data

Mounting type	DIN-35 rail
---------------	-------------

Subject to changes. Please also observe the further product documentation!



Material Data

Color	gray
Fire load	0.186 MJ
Weight	5.3 g

Commercial data

Product Group	6 (INTERFACE ELECTRONIC)
eCl@ss 10.0	27-18-27-02
eCl@ss 9.0	27-18-27-02
ETIM 8.0	EC001031
ETIM 7.0	EC001031
PU (SPU)	100 (1) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332639460
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Optional accessories

Mounting

Mounting accessories		
Item no.: 210-533 Phillips screw 2.9 x 13		www.wago.com/210-533
Mounting carrier and mounting feet		
Item no.: 288-620/024-000 Track section; Size 2; gray		www.wago.com/288-620/024-000
Item no.: 288-620 Track section; Size 2; 1 m long; gray		www.wago.com/288-620

Downloads

Documentation

Additional Information

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Disposal and Recycling
Electrical and electronic equipment, Batteries, Packaging

V 1.1.0
2022 年8月18 日

pdf
2.2 MB

[Download](#)

CAD/CAE-Data

CAE data

WSCAD Universe 288-622	URL	Download
ZUKEN Portal 288-622	URL	Download

CAD data

2D/3D Models 288-622	URL	Download
----------------------	---------------------	--------------------------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 288-622 Fixing foot for DIN 35 rail; gray	URL	Download
---	---------------------	--------------------------

Installation Notes

Subject to changes. Please also observe the further product documentation!