


REVISIONS		
REV	DESCRIPTION	DATE
F	REVISED PER DCR R060142	03/21/2006



If this document is printed it becomes uncontrolled. Check for the latest revision

1. TUBING VFP21 MARKED AS SHOWN WITH 3.0 [.12] HIGH CHARACTERS, USING BLACK INK LOCATED ALONG THIS SURFACE, REPEAT EVERY 152.4 [6.0].
2. TUBING VFP21 IS UL RECOGNIZED AND IS RATED 125°C [257°F], 600 V
3. TUBING VFP21 MEETS UL AND CSA VW-1 FLAME TEST.
4. TUBING FP21 IS UNMARKED AND COMPLIES WITH AMS-DTL-23053/5, CLASS 1
5. WEIGHT PER LINEAR FOOT: 2.72 g/.006 lbs.
6. MATERIAL: WHITE POLYOLEFIN

3	304.8 m [1000 ft]	1-603365-0
3	60.96 m [200 ft]	603365-4
4	60.96 m [200 ft]	603365-3
4	1.22 m [4 ft]	603365-2
3	1.22 m [4 ft]	603365-1
NOTES	LENGTH L	PART NUMBER

SPECIFICATION CONTROL DRAWING

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN mm. INCH DIMENSIONS ARE IN BRACKETS. DECIMALS .XX ± .01 [.0004 in] .X ± .1 [.004 in] ANGLES .X ± 0.5 DEG	DRAWN	UNGUIYEN	03/21/2006	Tyco Electronics Corporation 300 Constitution Drive Menlo Park, CA, USA 94025 	
	APPROVED	JBROOKS	03/21/2006		
	CAD NAME	R060142		TITLE	AMPSULATION VFP21 AND FP21, 1/4 INCH DIAMETER
THIRD ANGLE PROJECTION			SIZE	CODE IDENT. NO.	DWG. NO.
			B	06090	603365
			DO NOT SCALE THIS DRAWING		SHEET 1 OF 1