

Product data sheet

Specifications



Limit switch head, Limit switches XC Standard, ZCKD, without lever spring return left and or right actuation

ZCKD05

Main

Range of product	Telemecanique Limit switches XC Standard
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKD
Head type	Rotary head
Product compatibility	XCKS XCKM XCKL
Associated lever	ZCKY39 ZCKY33 ZCKY91 ZCKY43 ZCKY59 ZCKY54 ZCKY81 ZCKY31 ZCKY55 ZCKY41 ZCKY49 ZCKY34
Associated body	ZCKMD37H7 ZCKMD37H29 ZCKM1H29 ZCKL7H7 ZCKM1 ZCKL1 ZCKSD39H29 ZCKL8H7 ZCKSD37 ZCKM5H7 ZCKSD31H29 ZCKMD31H29 ZCKSD31 ZCKLD35H7 ZCKM6H29 ZCKLD31H7 ZCKMD37 ZCKLD39 ZCKS7 ZCKLD39H7 ZCKL1H7 ZCKM5 ZCKS404H29 ZCKMD39H29 ZCKS8 ZCKMD35 ZCKM9 ZCKS2 ZCKMD35H7 ZCKL7 ZCKM6 ZCKM8H7 ZCKL5 ZCKLD37H7

ZCKMD39H7
 ZCKSD35H29
 ZCKS7H29
 ZCKS6H29
 ZCKSD37H29
 ZCKS1H29
 ZCKL6
 ZCKM9H29
 ZCKM7
 ZCKSD35
 ZCKLD37
 ZCKM7H29
 ZCKS9H29
 ZCKS9
 ZCKMD31H7
 ZCKS8H29
 ZCKM6H7
 ZCKM1H7
 ZCKLD31
 ZCKM8H29
 ZCKS5
 ZCKS1
 ZCKL8
 ZCKS2H29
 ZCKL6H7
 ZCKM7H7
 ZCKL5H7
 ZCKMD35H29
 ZCKMD31
 ZCKLD35
 ZCKM8
 ZCKMD39
 ZCKS5H29
 ZCKS6
 ZCKM5H29
 ZCKSD39

Movement of operating head	Rotary
Type of operator	Without operating lever spring return
Type of approach	Lateral approach, 1 or 2 programmable direction

Complementary

Switch actuation	From left and/or right CW and/or CCW
Positive opening	Without With
Head material	Plastic

Environment

Ambient air temperature for operation	-25...70 °C
Ambient air temperature for storage	-40...70 °C
Environmental characteristic	Standard environment

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.400 cm
Package 1 Width	3.400 cm
Package 1 Length	7.700 cm
Package 1 Weight	74.000 g
Unit Type of Package 2	S01
Number of Units in Package 2	28
Package 2 Height	15.000 cm
Package 2 Width	15.000 cm

Package 2 Length	40.000 cm
Package 2 Weight	2.356 kg
Unit Type of Package 3	P06
Number of Units in Package 3	896
Package 3 Height	77.000 cm
Package 3 Width	80.000 cm
Package 3 Length	60.000 cm
Package 3 Weight	81.108 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Contractual warranty

Warranty	18 months
----------	-----------

Recommended replacement(s)