2273034-1 - ACTIVE

TE Internal #: 2273034-1 M12 Pigtail Cable Assembly, 5 Position, 1.5 m, Sensor/Actuator, Code A, M12 Socket, Single Ended, Plastic View on TE.com >



Cable Assemblies > Copper Cable Assemblies > M8/M12 Cable Assemblies > M12 A-Code Male Straight Pigtail



M8/M12 Application Type: Sensor/Actuator

Number of Positions: 5

Connector & Keying Code: A

Connector Type (End A): M12 Socket

Cable Assembly Type: M12 Pigtail

All M12 A-Code Male Straight Pigtail (8)

Features

Product Type Features

Connector Type (End A)

M12 Socket

Cable Assembly Type

M12 Pigtail

Configuration Features

| Number of Positions | 5 |
|---|--|
| Electrical Characteristics | |
| Operating Voltage | 125 VAC |
| Body Features | |
| Cable Color | Black |
| Connector Color (End A) | Black |
| Jacket Material | PUR |
| | |
| Wire Color (Base) | Brown, White, Blue, Black, Green/Yellow |
| Wire Color (Base) Connector & Keying Code | Brown, White, Blue, Black, Green/Yellow A |
| | |
| Connector & Keying Code | |
| Connector & Keying Code Contact Features | A |
| Connector & Keying Code Contact Features Contact Current Rating (Max) | A |

2273034-1

M12 Pigtail Cable Assembly, 5 Position, 1.5 m, Sensor/Actuator, Code A, M12 Socket, Single Ended, Plastic



Housing Features

| Housing Material | Plastic |
|------------------------------|---------------------------|
| Dimensions | |
| Outside Cable Diameter | 5 mm[.196 in] |
| Wire Size | .326 mm ² |
| Usage Conditions | |
| Operating Temperature Range | -50 – 80 °C[-58 – 176 °F] |
| Operation/Application | |
| M8/M12 Application Type | Sensor/Actuator |
| Shielded | No |
| Packaging Features | |
| Packaging Quantity | 25 |
| Packaging Method | Box |
| Other | |
| Field Serviceable | Yes |
| Cable Assembly Length | 1.5 m |
| Cable Accombly Configuration | Single Ended |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|--|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |
| Product Compliance Disclaimer | |

2273034-1

M12 Pigtail Cable Assembly, 5 Position, 1.5 m, Sensor/Actuator, Code A, M12 Socket, Single Ended, Plastic



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought



| TE Part #1-2273034-1 M12 A-Code Male Straight Pigtail | TE Part #1676814-9 HSA5 2K5 5% | TE Part #31165 TERMINAL,BUDG R 16-14 5/16 | TE Part #31499 TERMINAL,BUDG R 16-14 3/8 |
|---|--|--|---|
| | C TE | | |
| TE Part #1742597-1 ADAPTER,FASTON,250 REC,187 TAB, BR | TE Part #8-322870-3 TERMINAL,SOLIS R 2 5/16 | TE Part #EG8801-000 400R0111-24-9 | TE Part #218014-010 55A0811-20-9 |

2273034-1

M12 Pigtail Cable Assembly, 5 Position, 1.5 m, Sensor/Actuator, Code A, M12 Socket, Single Ended, Plastic





Documents

Product Drawings M12 x 1.0 straight plug pigt A

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2273034-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2273034-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2273034-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

M8 / M12 Connector System Catalog

English

M8 / M12 Connector System Catalog

Japanese

CONNECTIVITY SOLUTIONS FOR INFOTAINMENT APPLICATIONS

English

Product Specifications Application Specification

English