175778-3 - ACTIVE


AMP CT

TE Internal #: 175778-3 Housing, Receptacle, Wire-to-Board, 3 Position, .078 in [2 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, Power & Signal

View on TE.com >

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings >

AMP COMMON TERMINATION HOUSINGS



Connector Product Type: Housing

Connector & Housing Type: Receptacle

Connector System: Wire-to-Board

Number of Positions: 3

Centerline (Pitch): 2 mm [.078 in]

All AMP COMMON TERMINATION HOUSINGS (176)



Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	3
Number of Rows	1
Electrical Characteristics	
Operating Voltage	125 VAC
Body Features	

Housing, Receptacle, Wire-to-Board, 3 Position, .078 in [2 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, Power & Signal



Primary Product Color	Natural
Contact Features	
Contact Layout	Inline
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Mating Retention	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	66Nylon
Centerline (Pitch)	2 mm[.078 in]
Dimensions	
Connector Length	8 mm[.315 in]
Connector Height	4 mm[.157 in]
Connector Width	5.1 mm[.2 in]
Usage Conditions	

Operating Temperature Range -30 – 105 °C[-22 – 221 °F]

Operation/Application

Circuit Application	Power & Signal
Industry Standards	
Agency/Standard	UL
Approved Standards	UL
UL Flammability Rating	UL 94V-0

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235)

Housing, Receptacle, Wire-to-Board, 3 Position, .078 in [2 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, Power & Signal



Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Not applicable for solder process capability

Halogen Content

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 292203-1 CT CARD EDGE CONN ASSY 6P


Also in the Series AMP CT



Customers Also Bought

Housing, Receptacle, Wire-to-Board, 3 Position, .078 in [2 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, Power & Signal





Documents

Product Drawings CT.CRIMP REC HSG 3P

English

CAD Files 3D PDF

_ ...

English

Customer View Model ENG_CVM_175778-3_D1.2d_dxf.zip

English

Customer View Model

ENG_CVM_175778-3_D1.3d_igs.zip

English

Customer View Model

ENG_CVM_175778-3_D1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications
Application Specification
English
Crimping AMP 2.0mm Pitch CT Receptacle Contact

English

Product Environmental Compliance Product Compliance Document

English

Housing, Receptacle, Wire-to-Board, 3 Position, .078 in [2 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, Power & Signal



Product Compliance Document

English

Agency Approvals CSA Certificate

English