1-2308345-8 ACTIVE

Rail D-Sub Backshells

TE Internal #: 1-2308345-8

Shielded, Single or Dual Cable Entry, Zinc, Straight, Shell Size 4, 37 / 62 Position, Crimp Ferrule Termination, Rail D-Sub Backshells

View on TE.com >



Connectors > Connector Accessories > Connector Backshells > D-SUB BACKSHELL SIZE 4

Connector Backshell Product Style: Shielded

Connector Backshell Product Type: Single or Dual Cable Entry

Primary Product Material: Zinc

Body Orientation: Straight

Compatible With Connector Shell Size: 4

All D-SUB BACKSHELL SIZE 4 (8)

Features

Product Type Features

Connector Backshell Product Style	Shielded	
Connector Backshell Product Type	Single or Dual Cable Entry	
Sealable	No	
Termination Device Type	Crimp Ferrule	
Configuration Features		
Number of Positions	37, 62	
Body Features		
Primary Product Material	Zinc	
Cable Exit Angle	180°, 45°	
Mechanical Attachment		
Mating Retention Type	Jackscrew	
Thread Size	M3	
Housing Features		
Body Orientation	Straight	
Compatible With Connector Shape	D-Shaped	

-40 - 90 °C[-40 - 194 °F]

4

Usage Conditions

Operation/Application

Operating Temperature Range

Compatible With Connector Shell Size



Industry Standards

UL Flammability Rating UL 94V-0

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions	
EU ELV Directive 2000/53/EC	Not Yet Reviewed	
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold: Pb (.35% in Component) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Solder Process Capability	Not reviewed for solder process capability	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series	Rail D-Sub Backs	shells	
Connector Backshells(69)	Connector Strain Relief(53)	Crimp D-Sub Connectors(10)	D-Sub Connector Contacts(5)
Insertion & Extraction Tools(2)	Rectangular Connector Hardware(19)		
Customers Also B	ought		
TE Part #205161-1 AMPLIMITE,ASY,RCPT,STD,109,1	TE Part #5748677-1 PLTD PLST CBL CLMP KIT,SZ 1	TE Part #205162-1 AMPLIMITE,ASY,PLUG,STD,109,1	TE Part #2335893-4 AMPLIMITE SZ 4 RECPT 62 POS, ST STL SHEL
TE Part #52189 TERMINAL,PIDG R 26-24 4	TE Part #650140-000 D-436-53	TE Part #005299-000 B-040-22-N	TE Part #1-1437579-9 TSS21NGPC=SWITCH SLIDE P/C TER
TE Part #DBA30H-10-5P6-366 HERM RECP	TE Part #1532205-1 M83513/02-EN, MCKS-N1-B-31SS		

Shielded, Single or Dual Cable Entry, Zinc, Straight, Shell Size 4, 37 / 62 Position, Crimp Ferrule Termination, Rail D-Sub Backshells



Documents

Product Drawings

FULL METAL HOODS SIZE 4 - 8 (RAW)

English

Datasheets & Catalog Pages

Rail D-Sub Backshells Flyer

English