

# Data sheet

## 28153.6 PVC-PTS 40X30 GR



Device and installation marker, Length: 30 mm, Width: 39 mm, Colour: grey

**RAL:** Ähnlich 7035

### Business data

|                                            |                                |
|--------------------------------------------|--------------------------------|
| Article number                             | <u>28153.6</u>                 |
| Article name                               | PVC-PTS 40X30 GR               |
| GTIN (EAN)                                 | 4044211212971                  |
| Packaging unit                             | 150                            |
| Quantity unit                              | PC                             |
| Number of markers per card                 | 6 ST                           |
| Weight per piece (not including packaging) | 1.39 g                         |
| Weight per piece (including packaging)     | 1.39 g                         |
| Unit of weight                             | G                              |
| Customs number                             | 39204910                       |
| Country of origin                          | IT                             |
| Prio-Article                               | 28153.8                        |
| Product description                        | Device and installation marker |

## 28153.6 PVC-PTS 40X30 GR

### Technical data

#### Dimensions

|               |         |
|---------------|---------|
| Length        | 30 mm   |
| Width         | 39 mm   |
| Hole diameter | 22.5 mm |

#### Materials

|                              |        |
|------------------------------|--------|
| Marker material              | PVC    |
| Flammability class UL 94     | V-0    |
| Working temperature, min.    | -30 °C |
| Working temperature, max.    | 60 °C  |
| Processing temperature, min. | 10 °C  |
| Processing temperature, max. | 40 °C  |
| Silicone-free                | ✓      |

#### Further technical data

|               |                     |
|---------------|---------------------|
| Mounting      | Unter Bedienelement |
| Software code | 1002                |

#### Environmental Product Compliance

|                                |     |
|--------------------------------|-----|
| REACH Conform                  | Yes |
| REACH Candidate Substance Note | No  |
| RoHS Conform                   | Yes |

---

Media

---

### Accessories

#### Printer



Thermal transfer printer TTPCard including a power cord, USB cable, dust cover, black thermal transfer film (28010.4), three inlays: CCI-PC-SB 5x5 (28020.0), CCI-PC-CPM-10/BSTR (28027.0), CCI-PC/PVC/PVCF (28041.0), CONTASign PRO software in 16 languages (German, English, French, Italian, Dutch, Spanish, Portuguese, Czech, Polish, Bulgarian, Romanian, Slovenian, Turkish, Chinese, Japanese, Russian) for Windows versions 7, 8, 10. (available for download)

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>28000.0</u> | TTPCard Set  | 4044211207397 | 1 ST           |

#### Inlays

##### Printer inlay

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28041.0</u> | CCI-PC/PVC/PVCF | 4044211208097 | 1 ST           |