

CUSTOMER PRODUCTION APPROVAL
 APPROVED BY: _____
 DATE: _____
 MUST BE SIGNED AND RETURNED BEFORE
 PRODUCTION WILL BEGIN.

NOTES:
 CONNECTOR:
 INDUSTRIAL RJ45 OVERMOLDED
 STRAIGHT TO 90 DEGREE EXIT RIGHT
 CABLE TYPE:
 INDUSTRIAL ETHERNET CABLE
 SHIELDED CAT 5 PLUS
 2 X 2 X AWG 22/7
 (PROFINET TYP C)
 GREEN PUR JACKET
 ELECTRICAL:
 MAX VOLTAGE(CABLE): 600V
 MAX VOLTAGE(ASSEMBLY): 125V
 MECHANICAL:
 PROTECTION: IP20
 TEMPERATURE RANGE: -40°C TO 70°C
 LABELING:
 FOR LABELING INFORMATION SEE SHEET 2 AND 3
 CABLE IMPRINT: INDUSTRIAL ETHERNET STANDARD CABLE
 CAT 5 PLUS * 22AWG (SHIELDED) (UL) E119100 VERIFIED
 CAT 5E CMG 75°C DR PLTC DR AWM 20201 600V FT4 SUN
 RES * 094560001000100 08042M * 08/8537

RESTRICTED SALES DRAWING


MOLEX SAP #	LENGTH:	MOLEX SAP #	LENGTH:	MOLEX SAP #	LENGTH:
1303010006	1.0M [3.3FT]	1303010012	7.0M [23.0FT]	1303010018	13.0M [42.7FT]
1303010007	2.0M [6.6FT]	1303010013	8.0M [26.2FT]	1303010019	14.0M [45.9FT]
1303010008	3.0M [9.8FT]	1303010014	9.0M [29.5FT]	1303010020	15.0M [49.2FT]
1303010009	4.0M [13.1FT]	1303010015	10.0M [32.8FT]	1303010021	16.0M [52.5FT]
1303010010	5.0M [16.4FT]	1303010016	11.0M [36.1FT]	1303010022	17.0M [55.8FT]
1303010011	6.0M [19.7FT]	1303010017	12.0M [39.4FT]	1303010023	18.0M [59.1FT]

RLSO FOR PURCHASING EC NO: WNA2010-0513 DRWN: LHARTMAN 2010/07/26 CH'KD: TWOLDEGE APPR: JFMURPHY 2010/07/28	DESCRIPTION A	QUALITY SYMBOL ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE IN/MM	SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
		4 PLACES ±--- ±--- 3 PLACES ±--- ±.005 2 PLACES ±0.13 ±.010 1 PLACE ±0.25 ±.020	DRAWN BY DATE LHARTMAN 2010/07/26	TITLE INDUSTRIAL ETHERNET 4 POLE MA/MA ST/90 2X2X AWG22/7 GREEN PUR			
		ANGULAR ±1/2°	CHECKED BY DATE TWOLDEGE 2010/07/26	MOLEX INCORPORATED			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	APPROVED BY DATE JFMURPHY 2010/07/28	MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-130301-002	SHEET NO. 1 OF 1	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

WRAP LABEL


PRINTING INFORMATION



NOTES:
1) ALL FONT IN ARIAL

SEE SHEET 1 EC NO: WNA2010-0513 DRWN: LHARTMAN 2010/07/26 CH'KD: TWOLDEGE APPR: JFMURPHY 2010/07/28	QUALITY SYMBOL ▽=0 C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		
		4 PLACES ±--- ±--- 3 PLACES ±--- ±.005 2 PLACES ±0.13 ±.010 1 PLACE ±0.25 ±.020	mm INCH ±--- ±--- ±--- ±.005 ±0.13 ±.010 ±0.25 ±.020	DRAWN BY DATE LHARTMAN 2010/07/26	CHECKED BY DATE TWOLDEGE 2010/07/26		TITLE INDUSTRIAL ETHERNET 4 POLE MA/MA ST/90 2X2X AWG22/7 GREEN PUR			
		ANGULAR ±1/2°	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY DATE JFMURPHY 2010/07/28	MATERIAL NO. SEE SHEET 1		DOCUMENT NO. SD-130301-002		SHEET NO. 1 OF 1
	A	REV			SIZE C	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

UNSHIELDED CONNECTOR LABEL PRINTING INFORMATION



0.75
PRINTABLE
AREA

2.25 MIN
TRANSPARENT WRAP
AROUND PROTECTIVE
AREA

NOTES:
1) ALL FONT IN ARIAL

SEE SHEET 1 EC NO: WNA2010-0513 DRWN: LHARTMAN 2010/07/26 CH'KD: TWOLDEGE APPR: JFMURPHY 2010/07/28	QUALITY SYMBOL ▽=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	
				DRAWN BY LHARTMAN	DATE 2010/07/26	TITLE INDUSTRIAL ETHERNET 4 POLE MA/MA ST/90 2X2X AWG22/7 GREEN PUR			
				CHECKED BY TWOLDEGE	DATE 2010/07/26				
				APPROVED BY JFMURPHY	DATE 2010/07/28	MOLEX INCORPORATED	MATERIAL NO. SEE SHEET 1		DOCUMENT NO. SD-130301-002
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	ANGULAR ±1/2°		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						