

FUSE 1KV DC 10A 10/38**Weidmüller Interfaces GmbH & Co. KG**

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

www.weidmueller.com

Product image

For protection against overcurrent, we offer cartridge fuse with dimensions 10x38 mm in sizes from 2 A to 20 A.

General ordering data

Version	Accessories, Fuse
Order No.	1224910000
Type	FUSE 1KV DC 10A 10/38
GTIN (EAN)	4050118008746
Qty.	10 pc(s).
Delivery status	This article will no longer be available in the future.
Available until	2022-03-31
Alternative product	2783230000

FUSE 1KV DC 10A 10/38

Weidmüller Interfaces GmbH & Co. KG

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

Technical data

Dimensions and weights

Depth	10 mm	Depth (inches)	0.394 inch
Height	38 mm	Height (inches)	1.496 inch
Width	10 mm	Width (inches)	0.394 inch
Diameter	10 mm	Net weight	9 g

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1	SCIP	e55693ba-5f1b-4f6e-b99e-8d57d3de2235
------------	----------------	------	--------------------------------------

Material data

Colour	white
--------	-------

System specifications

Version	Fuse cartridge
---------	----------------

Additional technical data

Installation advice	Direct mounting	Type of mounting	Plugged
---------------------	-----------------	------------------	---------

Dimensions

Diameter	10 mm
----------	-------

Fuse cartridges

Cartridge fuse	10 x 38 mm	Characteristics	slo-blo
Colour	white	Current	10 A
Melting integral	7 A ^{2s}	Power output (@ 1.5 In)	2 W
Rated breaking capacity	30 kA	Version	Fuse cartridge

General

Installation advice	Direct mounting
---------------------	-----------------

Rating data

Rated voltage	1,000
---------------	-------

Classifications

ETIM 6.0	EC002936	ETIM 7.0	EC002936
ETIM 8.0	EC002936	ECLASS 9.0	27-14-20-90
ECLASS 9.1	27-14-20-90	ECLASS 10.0	27-14-20-90
ECLASS 11.0	27-14-20-90	ECLASS 12.0	27-14-20-90

Approvals

ROHS	Conform
------	---------

FUSE 1KV DC 10A 10/38

Weidmüller Interfaces GmbH & Co. KG

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

Technical data

www.weidmueller.com

Downloads

User Documentation [StorageConditionsTerminalBlocks](#)

Catalogues [Catalogues in PDF-format](#)

Brochures