





REV	LOG	DIST	ZONE	LTR	REVISIONS	DATE	APPD
1	BD	37		H	REDRAWN WITHOUT CHANGE	07/21/92	-



RECOMMENDED PC BOARD LAYOUT



- 1 NYLON, RED.
- 2 BRASS PER ASTM B36.
- 3 3.81µm [L.000150] MIN TIN-LEAD OVER 2.54µm [L.000100] MIN COPPER OR 1.27µm [L.000050] MIN NICKEL.
- 4 0.76µm [L.000030] MIN GOLD FOR A LENGTH OF 5.08 [L.200] MIN FROM MATING END, 3.81µm [L.000150] MIN TIN-LEAD FOR A LENGTH OF 5.36 [L.211] MIN FROM OPPOSITE END, BOTH OVER 1.27µm [L.000050] MIN NICKEL.

THIS DRAWING IS A CONTROLLED DOCUMENT FOR THE MANUFACTURE OF THIS PRODUCT. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN MM [INCHES] TOLERANCES ON: 1. DIMENSIONS IN MM [INCHES] 2. PLC DEC ± 0.25 [L.010] 3. PLC DEC # -	DR 07/21/92 L. SIEPE CHK 7-24-92 R. STONE APPD 7-24-92 A. TRAVIS MATERIAL HOUSING: CONTACTS: FINISH CONTACTS: SEE TABLE	NAME AMP AMP Incorporated Harrisburg, PA 17105-2608
UNLESS SPECIFIED DIMENSIONS IN MM [INCHES] TOLERANCES ON: 1. DIMENSIONS IN MM [INCHES] 2. PLC DEC ± 0.25 [L.010] 3. PLC DEC # -	APPD 7-24-92 C. RICHDE PRODUCT SPEC	PIN HEADER ASSEMBLY, 6 POSN, IN-LINE, SMALL METRIC CONNECTOR, METRIMATE
APPLICATION SPEC	SCALE 4:1	207583-3 207583-1
WEIGHT	SIZE CAGE CODE 00779	PART NO
	DRAWING NO 207583	
	SHEET 1 OF 1	

CUSTOMER DRAWING