

Agastat ECR Series

TE Internal #: 1544425-2

Leadframes, Single-In-Line (SIL), .1 in [2.54 mm] Centerline, Tin over

Nickel, Agastat ECR Series

View on TE.com >



Connectors > PCB Connectors > Card Edge Connectors > Leadframes



Leadframe Type: Single-In-Line (SIL)

Connector System: Board-to-Board

Centerline (Pitch): 2.54 mm [.1 in]

PCB Thickness (Accepted): .63 mm [.025 in]

Standoff Height: 1 mm [.039 in]

Features

Product Type Features

| Leadframe Type | Single-In-Line (SIL) |
|-----------------------------------|-----------------------|
| Connector System | Board-to-Board |
| Connector & Contact Terminates To | Printed Circuit Board |

Configuration Features

| Winding Direction | Down | |
|-------------------|------|--|
|-------------------|------|--|

Body Features

| Leadframe Clip Type | Y1 |
|-----------------------------|------------------|
| Leadframe Width | 18.1 mm[.712 in] |
| Leadframe Clip Length | 1.7 mm[.067 in] |
| Leadframe Thickness | .25 mm[.01 in] |
| Leadframe Hold-Down Feature | Without |

Contact Features

| Leadframe Pin Length | 9.5 mm[.374 in] |
|----------------------------|-----------------|
| Contact Base Material | Phosphor Bronze |
| Leadframe Plating Material | Tin over Nickel |

Termination Features

Mechanical Attachment



| Connector Mounting Type | Board Mount |
|--------------------------|-----------------|
| Housing Features | |
| Centerline (Pitch) | 2.54 mm[.1 in] |
| Dimensions | |
| Leadframe Gap Size | .52 mm[.02 in] |
| PCB Thickness (Accepted) | .63 mm[.025 in] |
| Standoff Height | 1 mm[.039 in] |
| Packaging Features | |
| Packaging Quantity | 40000 |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Wave solder capable to 265°C |

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | Agastat ECR Series



Customers Also Bought

















TE Part #734853-1 SPRING, TORSION ASS



Documents

Product Drawings

CTS 254 BRONZE ETA

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1544425-2_C_c-1544425-2-c.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1544425-2_C_c-1544425-2-c.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1544425-2_C_c-1544425-2-c.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Environmental Compliance

MD_1544425-2_09122014102_dmtec

English

MD_1544425-2_09122014102_dmtec

English