



LOC	DIST	REVISIONS			
		REV	DATE	BY	CHKD
AD	00	D	22FEB2013	KH	RP
		E	03JUL2019	AP	SY





○ = SIGNAL  
 ⊗ = GROUND  
 RECOMMENDED PC BOARD LAYOUT  
 DAUGHTER BOARD  
 COMPONENT SIDE SHOWN  
 SCALE 6:1



SHOWN LOGO OR OTHER TE OWNED LOGOS IN APPROXIMATE AREA. MATERIAL:  
 CONTACT AND SHIELD - PHOS BRONZE  
 HOUSING AND CHICKLET - LCP, UL 94V-0, COLOR - BLACK

- △ FINISH:  
 CONTACT AREA FINISH CONFORMS TO THE REQUIREMENTS OF TE PRODUCT SPECIFICATION 108-2303; BASED ON TELCORDIA GR-1217-CORE FOR SYSTEM QUALITY LEVEL III, APPLICATIONS IN CONTROLLED ENVIRONMENTS (CENTRAL OFFICE). COMPLIANT PIN AREA- 0.5µm MIN MATTE TIN OVER 1.27µm MIN NICKEL. SHIELD 1.27µm MIN NICKEL.
- △ CONNECTOR MARKED ON EITHER SIDE OF HOUSING WITH PART NUMBER, DATE CODE AND STANDARD IN APPROXIMATE AREA SHOWN.
- △ DIMENSION APPLIES TO CENTERLINE OF THRU HOLE.
- △ DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 6. CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT. TECHNICAL REFERENCE: GR-1217-CORE, ISSUE 1, NOVEMBER 1995.
- △ REFERENCE APPLICATION SPEC 114-13202 FOR RECOMMENDED PLATED THRU HOLE DIAMETER AND PLATING THICKNESSES.
- △ THE GROUNDS IN EACH COLUMN ARE COMMONED.
- △ SHOWN LOGO OR OTHER TE OWNED LOGOS IN APPROXIMATE AREA.



1934220-1  
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: L. SIPE 21JUL2007	TE Connectivity RECEPTACLE ASSEMBLY, 5 PAIR, 10 COLUMN
DIMENSIONS:		CHK: W. DAVIS 21JUL2007	
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD: R. PATTERSON 24JAN2008	NAME
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±	± ± ± ± ±	PRODUCT SPEC	SIZE
MATERIAL: △	FINISH: △	APPLICATION SPEC	CAGE CODE
		WEIGHT	DRAWING NO
		CUSTOMER DRAWING	A100779C=1934220
		RESTRICTED TO	SCALE 6:1 SHEET 1 OF 1 REV E