

### AMP | AMP CPC

TE Internal #: 206306-3

Circular Power Connectors, Housing, 600 VDC, Wire-to-Wire, 37

Position, Sealable, Wire & Cable, Receptacle, Reverse Gender,

Socket, AMP CPC

View on TE.com >



Connectors > Power Connectors > Circular Power > Circular Power Connectors > Circular Connector, Environmentally Sealed, CPC Series 6











Connector Product Type: Housing

Operating Voltage: 600 VDC

Connector System: Wire-to-Wire

Number of Positions: 37

Sealable: Yes

All Circular Connector, Environmentally Sealed, CPC Series 6 (19)

## **Features**

## **Product Type Features**

Connector Seal & Plug Type	Peripheral
Connector Product Type	Housing
Connector System	Wire-to-Wire
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Connector & Housing Type	Receptacle
Circular Connector Shell Type	All Plastic

## **Configuration Features**

Reverse Numbering	Without
Number of Positions	37
Number of Power Positions	0
Number of Signal Positions	37



## **Electrical Characteristics**

Electrical Characteristics	
Operating Voltage	600 VAC
Contact Features	
Reverse Gender	Yes
Contact Type	Socket
Contact Protection	With
Mechanical Attachment	
Mating Alignment Type	Keyed
Mating Alignment	With
Panel Mount Feature Type	Flange with Mounting Holes
Mating Retention Type	Threaded Coupling
Thread Size	1-3/8 - 18 UNEF-2A
Polarization Code	A
Connector Mounting Type	Panel Mount
Mating Retention	With
Panel Mount Feature	With
Housing Features	
Body Orientation	Straight
Housing Color	Black
Housing Material	Nylon - GF
Circular Connector Shell Size	23
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Fluid Resistance	Immersion
Operation/Application	
Circuit Application	Power & Signal
Shielded	No
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	1
Packaging Method	Standard



#### Other

Power Connectors Comment	5 Locating Key Arrangement.

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**













TE Part # 206305-4 CPC PLUG ASSEMBLY SIZE 23-37





TE Part # 6-2407269-1 CAP, CPC, SIZE 23 RECP, ORANGE



# Also in the Series | AMP CPC





Circular Connector Caps & Covers(16) Circular Connector Hardware(3)





Circular Connector Keying Plugs(2)



Circular Power Connectors(459)



Connector Backshells(56)



Connector Seals & Cavity Plugs(36)



Connector Strain Relief(6)



Insertion & Extraction Tools(1)



Power Contacts(6)



Customers Also Bought




















### **Documents**

### **Product Drawings**

**CPC RECPT SEALED SIZE 23-37** 

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_206306-3\_AL.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_206306-3\_AL.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_206306-3\_AL.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

AMP Circular Connectors for Commercial Signal & Power Applications

English

## **Product Specifications**

**Application Specification** 

English

## Product Environmental Compliance

**Product Compliance** 

Circular Power Connectors, Housing, 600 VDC, Wire-to-Wire, 37 Position, Sealable, Wire & Cable, Receptacle, Reverse Gender, Socket, AMP CPC



English

**Product Compliance** 

English

Agency Approvals

**UL Report** 

English